

Trade name: LINARI-AGATA**Current version :** 3.1.1, issued: 07.11.2022**Replaced version:** 3.1.0, issued: 17.06.2021**Region:** GB**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier****Trade name****LINARI-AGATA****1.2 Relevant identified uses of the substance or mixture and uses advised against****Relevant identified uses of the substance or mixture**

Fragrances

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet**Address**LINARI GmbH
Jaffestrasse 12 | DOCK 2
21109 Hamburg
Germany

Telephone no. +49 40-7566850

Fax no. +49 40-7534505

Advice on Safety Data Sheet

sdb_info@umco.de

1.4 Emergency telephone number

Emergency CONTACT (24-Hour-Number) international:

GBK GmbH - Global Regulatory Compliance +49 (0)6132-84463

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****Classification in accordance with Regulation (EC) No 1272/2008 (CLP)**

Aquatic Chronic 3; H412

Eye Irrit. 2; H319

Flam. Liq. 2; H225

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements**Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)****Hazard pictograms**

GHS02



GHS07

Signal word

Danger

Hazard statement(s)

H225

Highly flammable liquid and vapour.

H319

Causes serious eye irritation.

H412

Harmful to aquatic life with long lasting effects.

Trade name: LINARI-AGATA

Current version : 3.1.1, issued: 07.11.2022

Replaced version: 3.1.0, issued: 17.06.2021

Region: GB

Hazard statements (EU)

EUH208

Contains linalool, benzyl-salicylate, (2E)-2-(phenylmethylidene)octanal, (R)-p-mentha-1,8-diene, hexyl-salicylate, 4-tert-butylcyclohexyl acetate, Citronellol, Reaction Mass of 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one, 3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one. May produce an allergic reaction.

Precautionary statement(s)

P101

If medical advice is needed, have product container or label at hand.

P102

Keep out of reach of children.

P210

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P273

Avoid release to the environment.

P501

Dispose of contents/container to a facility in accordance with local/regional/national/international regulations.

2.3 Other hazards

PBT assessment

The components of this product are not considered to be PBT (PBT = persistent, bioaccumulative, toxic) according to Annex XIII of Regulation (EC) 1907/2006 (REACH).

vPvB assessment

The components of this product are not considered to be vPvB (vPvB = very persistent, very bioaccumulative) according to Annex XIII of Regulation (EC) 1907/2006 (REACH).

SECTION 3: Composition/information on ingredients**3.1 Substances**

Not applicable. The product is not a substance.

3.2 Mixtures**Hazardous ingredients**

No	Substance name		Additional information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration	%
1	ethanol			
	64-17-5 200-578-6 603-002-00-5 01-2119457610-43	Flam. Liq. 2; H225 Eye Irrit. 2; H319	>= 70.00 - < 90.00	wt%
2	linalool			
	78-70-6 201-134-4 603-235-00-2 -	Skin Sens. 1B; H317	< 2.50	wt%
3	benzyl-salicylate			
	118-58-1 204-262-9 - 01-2119969442-31	Aquatic Chronic 3; H412 Skin Sens. 1B; H317 Eye Irrit. 2; H319	< 2.50	wt%
4	(2E)-2-(phenylmethylidene)octanal			
	165184-98-5 639-566-4 - 01-2119533092-50	Aquatic Acute 1; H400 Aquatic Chronic 2; H411 Skin Sens. 1; H317	< 2.50	wt%
5	(R)-p-mentha-1,8-diene			
	5989-27-5 227-813-5 601-096-00-2 -	Flam. Liq. 3; H226 Asp. Tox. 1; H304 Skin Irrit. 2; H315 Skin Sens. 1B; H317 Aquatic Acute 1; H400 Aquatic Chronic 3; H412	< 0.50	wt%

Trade name: LINARI-AGATA

Current version : 3.1.1, issued: 07.11.2022

Replaced version: 3.1.0, issued: 17.06.2021

Region: GB

6	hexyl-salicylate			
	6259-76-3 228-408-6 - 01-2119638275-36	Skin Irrit. 2; H315 Skin Sens. 1; H317 Aquatic Chronic 1; H410	< 0.50	wt%
7	4-tert-butylcyclohexyl acetate			
	32210-23-4 250-954-9 - 01-2119976286-24	Skin Sens. 1B; H317	< 0.50	wt%
8	Citronellol			
	106-22-9 203-375-0 - 01-2119453995-23	Eye Irrit. 2; H319 Skin Irrit. 2; H315 Skin Sens. 1B; H317	< 0.50	wt%
9	Reaction Mass of 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one			
	- 915-730-3 - 01-2119489989-04	Aquatic Chronic 1; H410 Skin Irrit. 2; H315 Skin Sens. 1; H317	< 0.50	wt%
10	3-methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one			
	127-51-5 204-846-3 - -	Aquatic Chronic 2; H411 Skin Irrit. 2; H315 Skin Sens. 1; H317	< 0.50	wt%

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	-	Eye Irrit. 2; H319: C >= 50%	-	-
5	-	-	M = 1	-

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In case of persisting adverse effects, consult a physician.

After inhalation

Remove affected person from the immediate area. Ensure supply of fresh air. In case of persisting adverse effects consult a physician. If unconscious place in recovery position and seek medical advice.

After skin contact

In case of contact with skin wash off immediately with soap and water. Remove contaminated clothing. Consult a doctor if skin irritation persists.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes).

After ingestion

Rinse the mouth thoroughly with water. Do not induce vomiting. If swallowed drink plenty of water and seek medical treatment. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

Trade name: LINARI-AGATA**Current version :** 3.1.1, issued: 07.11.2022**Replaced version:** 3.1.0, issued: 17.06.2021**Region:** GB**5.1 Extinguishing media****Suitable extinguishing media**

Foam; Extinguishing powder; Carbon dioxide; Water spray jet

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

Formation of explosive mixtures with air is possible. Vapours are heavier than air and may spread near ground to sources of ignition. May travel considerable distance to source of ignition and flash back. In the event of fire, the following can be released: Carbon dioxide (CO₂); Carbon monoxide (CO)

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures****For non-emergency personnel**

Exclude sources of ignition and ventilate the area. Avoid contact with skin, eyes and clothing. Refer to protective measures listed in sections 7 and 8.

For emergency responders

Personal protective equipment (PPE) - see section 8.

6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater. In case of entry into waterways, soil or drains, inform the responsible authorities.

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g., sand, kieselguhr, universal binder). When collected, handle material as described under the section heading "Disposal considerations".

6.4 Reference to other sections

No data available.

SECTION 7: Handling and storage**7.1 Precautions for safe handling****Advice on safe handling**

Provide good ventilation at the work area (local exhaust ventilation, if necessary).

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from food, drink and animal feeding stuffs. After worktime and during work intervals the affected skin areas must be thoroughly cleaned. Avoid contact with eyes and skin. Remove soiled or soaked clothing immediately. Provide eye wash fountain in work area. Have emergency shower available.

Advice on protection against fire and explosion

Keep away from sources of heat and ignition. Take precautionary measures against static charges.

7.2 Conditions for safe storage, including any incompatibilities**Technical measures and storage conditions**

Keep container tightly closed in a cool, well-ventilated place.

Requirements for storage rooms and vessels

Store product in closed containers. Always keep in containers of same material as the original.

Incompatible products

Do not store together with fire promoting substances.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection

Trade name: LINARI-AGATA

Current version : 3.1.1, issued: 07.11.2022

Replaced version: 3.1.0, issued: 17.06.2021

Region: GB

8.1 Control parameters

Occupational exposure limit values

No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
List of approved workplace exposure limits (WELs) / EH40			
Ethanol			
	WEL long-term (8-hr TWA reference period)	1920	mg/m ³ 1000 ppm

DNEL, DMEL and PNEC values

DNEL values (worker)

No	Substance name	CAS / EC no		
	Route of exposure	Exposure time	Effect	Value
1	ethanol	64-17-5 200-578-6		
	dermal	Long term (chronic)	systemic	343 mg/kg/day
	inhalative	Long term (chronic)	systemic	950 mg/m ³
2	(2E)-2-(phenylmethylidene)octanal	165184-98-5 639-566-4		
	dermal	Long term (chronic)	systemic	18.2 mg/kg/day
	dermal	Long term (chronic)	local	525 µg/cm ²
	dermal	Short term (acute)	local	525 µg/cm ²
	inhalative	Long term (chronic)	systemic	0.078 mg/m ³
	inhalative	Short term (acute)	local	6.28 mg/m ³
3	hexyl-salicylate	6259-76-3 228-408-6		
	dermal	Long term (chronic)	systemic	20830 mg/kg/day
	dermal	Short term (acute)	systemic	1475 µg/cm ²
	inhalative	Long term (chronic)	systemic	7.29 mg/m ³
	inhalative	Short term (acute)	systemic	7.29 mg/m ³
4	Reaction Mass of 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	- 915-730-3		
	dermal	Long term (chronic)	systemic	28.7 mg/kg/day
	dermal	Long term (chronic)	local	648 µg/cm ²
	inhalative	Long term (chronic)	systemic	30 mg/m ³

DNEL value (consumer)

No	Substance name	CAS / EC no		
	Route of exposure	Exposure time	Effect	Value
1	ethanol	64-17-5 200-578-6		
	oral	Long term (chronic)	systemic	87 mg/kg/day
	dermal	Long term (chronic)	systemic	206 mg/kg/day
	inhalative	Long term (chronic)	systemic	114 mg/m ³
2	(2E)-2-(phenylmethylidene)octanal	165184-98-5 639-566-4		
	oral	Long term (chronic)	systemic	0.056 mg/kg/day
	dermal	Long term (chronic)	systemic	9.11 mg/kg/day
	dermal	Long term (chronic)	local	78.7 µg/cm ²
	dermal	Short term (acute)	local	78.7 µg/cm ²
	inhalative	Long term (chronic)	systemic	0.019 mg/m ³
	inhalative	Short term (acute)	local	4.71 mg/m ³
3	hexyl-salicylate	6259-76-3 228-408-6		
	oral	Long term (chronic)	systemic	0.625 mg/kg/day
	oral	Short term (acute)	systemic	1.25 mg/kg/day
	dermal	Long term (chronic)	systemic	12500 mg/kg/day

Trade name: LINARI-AGATA

Current version : 3.1.1, issued: 07.11.2022

Replaced version: 3.1.0, issued: 17.06.2021

Region: GB

	dermal	Short term (acut)	systemic	12500	mg/kg/day
	dermal	Short term (acut)	local	885	µg/cm ²
	inhalative	Long term (chronic)	systemic	2.19	mg/m ³
	inhalative	Short term (acut)	systemic	2.19	mg/m ³
4	Reaction Mass of 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one			- 915-730-3	
	oral	Long term (chronic)	systemic	3	mg/kg/day
	dermal	Long term (chronic)	systemic	17.2	mg/kg/day
	dermal	Long term (chronic)	local	380	µg/cm ²
	inhalative	Long term (chronic)	systemic	9	mg/m ³

PNEC values

No	Substance name		CAS / EC no
	ecological compartment	Type	Value
1	ethanol		64-17-5 200-578-6
	water	fresh water	0.96 mg/L
	water	Aqua intermittent	2.75 mg/L
	water	marine water	0.79 mg/L
	water	fresh water sediment	3.6 mg/kg dry weight
	water	marine water sediment	2.9 mg/L
	soil	-	0.63 mg/kg dry weight
	sewage treatment plant	-	580 mg/L
	secondary poisoning	-	0.38 mg/kg food
2	(2E)-2-(phenylmethylidene)octanal		165184-98-5 639-566-4
	water	fresh water	0.001 mg/L
	water	marine water	0 mg/L
	water	fresh water sediment	3.2 mg/kg dry weight
	water	marine water sediment	0.064 mg/kg dry weight
	soil	-	0.398 mg/kg dry weight
	sewage treatment plant	-	10 mg/L
	secondary poisoning	-	6.6 mg/kg food
3	hexyl-salicylate		6259-76-3 228-408-6
	water	fresh water	0 mg/L
	water	marine water	0 mg/L
	water	Aqua intermittent	0.004 mg/L
	water	fresh water sediment	0.272 mg/kg dry weight
	water	marine water sediment	0.027 mg/kg dry weight
	soil	-	0.054 mg/kg
	sewage treatment plant	-	10 mg/L
4	Reaction Mass of 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one		- 915-730-3
	water	fresh water	4.4 µg/L
	water	fresh water sediment	3.73 mg/kg dry weight
	water	marine water sediment	0.75 mg/kg dry weight

Trade name: LINARI-AGATA**Current version :** 3.1.1, issued: 07.11.2022**Replaced version:** 3.1.0, issued: 17.06.2021**Region:** GB

soil	-	2.7	mg/kg dry weight
sewage treatment plant	-	10	mg/L
secondary poisoning with reference to: food	-	26.7	mg/kg

8.2 Exposure controls**Appropriate engineering controls**

Ensure adequate ventilation, local exhaust at the work station if necessary.

Personal protective equipment**Respiratory protection**

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. Combination filter (EN 14387), filter type A - brown; In case of aerosol, vapour and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Eye / face protection

Tightly fitting safety glasses (EN 166).

Hand protection

In case of intensive contact, wear protective gloves (EN 374). Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material	butyl rubber		
Material thickness		0.5	mm
Breakthrough time	>	480	min

Other

Normal chemical work clothing.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

State of aggregation	
liquid	
Form	
liquid	
Colour	
Clear, yellow-green to orange	
Odour	
characteristic	
pH value	
Value	6.4
Boiling point / boiling range	
No data available	
Melting point/freezing point	
No data available	
Decomposition temperature	
No data available	
Flash point	
Value	20 °C
Ignition temperature	
No data available	

Trade name: LINARI-AGATA

Current version : 3.1.1, issued: 07.11.2022

Replaced version: 3.1.0, issued: 17.06.2021

Region: GB

Flammability			
No data available			
Lower explosion limit			
No data available			
Upper explosion limit			
No data available			
Vapour pressure			
No data available			
Relative vapour density			
No data available			
Relative density			
No data available			
Density			
No data available			
Solubility			
No data available			
Partition coefficient n-octanol/water (log value)			
No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
	log Pow	-0.35	
	Reference temperature	24	°C
	with reference to	pH 7,4	
	Method	OECD 107	
	Source	ECHA	
2	(2E)-2-(phenylmethylidene)octanal	165184-98-5	639-566-4
	log Pow	appr. 5.3	
	Reference temperature	24	°C
	Method	OECD 117	
	Source	ECHA	
3	hexyl-salicylate	6259-76-3	228-408-6
	log Pow	5.5	
	Method	OECD 117	
	Source	ECHA	
4	Reaction Mass of 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one		915-730-3
	log Pow	5.65	
	Reference temperature	30	°C
	Method	OECD 117	
	Source	ECHA	
Kinematic viscosity			
No data available			
Particle characteristics			
No data available			

9.2 Other information

Other information
No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

Trade name: LINARI-AGATA**Current version :** 3.1.1, issued: 07.11.2022**Replaced version:** 3.1.0, issued: 17.06.2021**Region:** GB

No data available.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Dangerous reactions are not to be expected when handling product according to its intended use. Generation of flammable vapor-air mixtures possible.

10.4 Conditions to avoid

Heat, naked flames and other ignition sources. Static discharges.

10.5 Incompatible materials

No data available.

10.6 Hazardous decomposition products

None, if handled according to intended use.

SECTION 11: Toxicological information**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Acute oral toxicity			
No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
LD50		10470	mg/kg bodyweight
Species	rat		
with reference to	95% ethanol in water		
Method	OECD 401		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
2	(2E)-2-(phenylmethylidene)octanal	165184-98-5	639-566-4
LD50	appr.	3100	mg/kg bodyweight
Species	rat		
Method	OECD 401		
Source	ECHA		
3	Reaction Mass of 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one		915-730-3
LD50	>	5000	mg/kg bodyweight
Species	rat		
Method	OECD 401		
Source	ECHA		
Acute dermal toxicity			
No	Substance name	CAS no.	EC no.
1	(2E)-2-(phenylmethylidene)octanal	165184-98-5	639-566-4
LD50	>	3000	mg/kg bodyweight
Species	rabbit		
Method	OECD 402		
Source	ECHA		
2	Reaction Mass of 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one		915-730-3
LD50	>	5000	mg/kg bodyweight
Species	rat		
Method	OECD 402		
Source	ECHA		

Trade name: LINARI-AGATA

Current version : 3.1.1, issued: 07.11.2022

Replaced version: 3.1.0, issued: 17.06.2021

Region: GB

Acute inhalational toxicity			
No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
LC50		124.7	mg/l
Duration of exposure		4	h
State of aggregation	Vapour		
Species	rat		
Method	OECD 403		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
2	(2E)-2-(phenylmethylidene)octanal	165184-98-5	639-566-4
LC50	>	5	mg/l
Duration of exposure		4	h
State of aggregation	Dust/mist		
Species	rat		
Method	OECD 403		
Source	ECHA		
Skin corrosion/irritation			
No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
Species	rabbit		
Method	OECD 404		
Source	ECHA		
Evaluation	non-irritant		
Evaluation/classification	Based on available data, the classification criteria are not met.		
2	(2E)-2-(phenylmethylidene)octanal	165184-98-5	639-566-4
Species	rabbit		
Method	EU B.4		
Source	ECHA		
Evaluation	non-irritant		
3	hexyl-salicylate	6259-76-3	228-408-6
Duration of exposure		4	h
Species	rabbit		
Method	79/831/EEC		
Source	ECHA		
Evaluation	irritant		
4	Reaction Mass of 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one		915-730-3
Duration of exposure		15	min
Species	Human		
Method	OECD 439		
Source	ECHA		
Evaluation	irritant		
Serious eye damage/irritation			
No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
Species	rabbit		
Method	OECD 405		
Source	ECHA		
Evaluation	irritant		
Evaluation/classification	Based on available data, the classification criteria are met.		
2	(2E)-2-(phenylmethylidene)octanal	165184-98-5	639-566-4
Species	rabbit		
Method	EU B.5		
Source	ECHA		
Evaluation	non-irritant		

Trade name: LINARI-AGATA

Current version : 3.1.1, issued: 07.11.2022

Replaced version: 3.1.0, issued: 17.06.2021

Region: GB

Respiratory or skin sensitisation			
No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
Route of exposure		respiratory tract	
Source		ECHA	
Evaluation		non-sensitizing	
Evaluation/classification		Based on available data, the classification criteria are not met.	
Route of exposure		Skin	
Species		mouse	
Source		ECHA	
Evaluation		non-sensitizing	
Evaluation/classification		Based on available data, the classification criteria are not met.	
2	(2E)-2-(phenylmethylidene)octanal	165184-98-5	639-566-4
Route of exposure		Skin	
Species		mouse	
Method		OECD 429	
Source		ECHA	
Evaluation		sensitizing	
3	hexyl-salicylate	6259-76-3	228-408-6
Route of exposure		Skin	
Species		mouse	
Method		OECD 429	
Source		ECHA	
Evaluation		sensitizing	
4	Reaction Mass of 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one		915-730-3
Route of exposure		Skin	
Species		Human	
Method		Patch-Test	
Source		ECHA	
Evaluation		sensitizing	
Germ cell mutagenicity			
No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
Type of examination		in vitro gene mutation study in bacteria	
Species		Salmonella typhimurium	
Method		OECD 471	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
Type of examination		in vitro gene mutation study in mammalian cells	
Species		mouse lymphoma cells	
Method		OECD 476	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
Type of examination		Genotoxicity in vivo	
Species		mouse	
Method		OECD 478	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
Reproduction toxicity			
No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
Route of exposure		oral	
NOAEL			
Type of examination		2 generation study	
Species		mouse	

Trade name: LINARI-AGATA**Current version :** 3.1.1, issued: 07.11.2022**Replaced version:** 3.1.0, issued: 17.06.2021**Region:** GB

Method	OECD 416
Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.
Route of exposure	inhalational
NOAEL	>= 20000 ppm
Type of examination	Prenatal Developmental Toxicity Study
Species	rat
Method	OECD 414
Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.

Carcinogenicity			
No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	

STOT - single exposure	
No data available	

STOT - repeated exposure			
No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
Route of exposure		oral	
Duration of exposure		14	week/s
Species		rat	
Target organ		kidneys	
Method		OECD 408	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	

Aspiration hazard	
No data available	

11.2 Information on other hazards**Endocrine disrupting properties**

No data available.

Other information

No data available.

SECTION 12: Ecological information**12.1 Toxicity**

Toxicity to fish (acute)			
No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
LC50		14200	mg/l
Duration of exposure		96	h
Species		Pimephales promelas	
Method		EPA	
Source		ECHA	
2	(2E)-2-(phenylmethylidene)octanal	165184-98-5	639-566-4
LC50		1.7	mg/l
Duration of exposure		96	h
Species		Pimephales promelas	
Method		OECD 203	
Source		ECHA	

Trade name: LINARI-AGATA

Current version : 3.1.1, issued: 07.11.2022

Replaced version: 3.1.0, issued: 17.06.2021

Region: GB

3	Reaction Mass of 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	915-730-3
LC50		1.3 mg/l
Duration of exposure		96 h
Species	Lepomis macrochirus	
Method	OECD 203	
Source	ECHA	

Toxicity to fish (chronic)			
No	Substance name	CAS no.	EC no.
1	Reaction Mass of 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	-	915-730-3
NOEC		0.16	mg/l
Species	Danio rerio		
Method	OECD 210		
Source	ECHA		

Toxicity to Daphnia (acute)			
No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
EC50		5012	mg/l
Duration of exposure		48	h
Species	Ceriodaphnia dubia		
Method	ASTM Standard E 729-80		
Source	ECHA		
2	(2E)-2-(phenylmethylidene)octanal	165184-98-5	639-566-4
EC50	> 0.36	- 0.58	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Method	OECD 202		
Source	ECHA		
3	hexyl-salicylate	6259-76-3	228-408-6
EC50		0.357	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Method	OECD 202		
Source	ECHA		
4	Reaction Mass of 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	-	915-730-3
EC50		1.38	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Method	OECD 202		
Source	ECHA		

Toxicity to Daphnia (chronic)			
No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
NOEC		9.6	mg/l
Duration of exposure		9	day(s)
Species	Daphnia magna		

Trade name: LINARI-AGATA

Current version : 3.1.1, issued: 07.11.2022

Replaced version: 3.1.0, issued: 17.06.2021

Region: GB

Source	ECHA		
2	(2E)-2-(phenylmethylidene)octanal	165184-98-5	639-566-4
NOEC		0.063	mg/l
Duration of exposure		21	day(s)
Species	Daphnia magna		
Method	OECD 211		
Source	ECHA		
3	Reaction Mass of 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one		915-730-3
NOEC		0.028	mg/l
Species	Daphnia magna		
Method	OECD 211		
Source	ECHA		

Toxicity to algae (acute)			
No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
EC50		275	mg/l
Duration of exposure		72	h
Species	Chlorella vulgaris		
Method	OECD 201		
Source	ECHA		
2	(2E)-2-(phenylmethylidene)octanal	165184-98-5	639-566-4
EC50	>	0.065	mg/l
Duration of exposure		72	h
Species	Desmodesmus subspicatus		
Method	OECD 201		
Source	ECHA		
3	hexyl-salicylate	6259-76-3	228-408-6
ErC50		0.61	mg/l
Duration of exposure		72	h
Species	Desmodesmus subspicatus		
Method	OECD 201		
Source	ECHA		
4	Reaction Mass of 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one		915-730-3
EC50	>	2.6	mg/l
Duration of exposure		72	h
Species	Scenedesmus subspicatus		
Method	OECD 201		
Source	ECHA		

Toxicity to algae (chronic)			
No data available			

Bacteria toxicity			
No	Substance name	CAS no.	EC no.
1	Reaction Mass of 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one		915-730-3
NOEL		100	mg/l
Species	activated sludge		

Trade name: LINARI-AGATA

Current version : 3.1.1, issued: 07.11.2022

Replaced version: 3.1.0, issued: 17.06.2021

Region: GB

Method	OECD 301 F
Source	ECHA

12.2 Persistence and degradability

Biodegradability			
No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
Type		aerobic biodegradation	
Value		appr. 84	%
Duration		20	day(s)
Source		ECHA	
Evaluation		readily biodegradable	
2	(2E)-2-(phenylmethylidene)octanal	165184-98-5	639-566-4
Value		appr. 97	%
Duration		28	day(s)
Method		OECD 301 F	
Source		ECHA	
Evaluation		readily biodegradable	
3	hexyl-salicylate	6259-76-3	228-408-6
Value		91	%
Method		OECD 301 F	
Source		ECHA	
4	Reaction Mass of 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	-	915-730-3
Type		aerobic biodegradation	
Value		60	%
Method		OECD 301 C	
Source		ECHA	
Evaluation		not readily biodegradable	

12.3 Bioaccumulative potential

Bioconcentration factor (BCF)			
No	Substance name	CAS no.	EC no.
1	hexyl-salicylate	6259-76-3	228-408-6
BCF		3.95	
Source		ECHA	
2	Reaction Mass of 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	-	915-730-3
BCF		appr. 600	
Species		Lepomis macrochirus	
Method		OECD 305	
Source		ECHA	

Partition coefficient n-octanol/water (log value)			
No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
log Pow		-0.35	
Reference temperature		24	°C
with reference to		pH 7,4	
Method		OECD 107	
Source		ECHA	
2	(2E)-2-(phenylmethylidene)octanal	165184-98-5	639-566-4
log Pow		appr. 5.3	
Reference temperature		24	°C

Trade name: LINARI-AGATA**Current version :** 3.1.1, issued: 07.11.2022**Replaced version:** 3.1.0, issued: 17.06.2021**Region:** GB

Method	OECD 117		
Source	ECHA		
3	hexyl-salicylate	6259-76-3	228-408-6
log Pow		5.5	
Method	OECD 117		
Source	ECHA		
4	Reaction Mass of 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	-	915-730-3
log Pow		5.65	
Reference temperature		30	°C
Method	OECD 117		
Source	ECHA		

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	
PBT assessment	The components of this product are not considered to be PBT (PBT = persistent, bioaccumulative, toxic) according to Annex XIII of Regulation (EC) 1907/2006 (REACH).
vPvB assessment	The components of this product are not considered to be vPvB (vPvB = very persistent, very bioaccumulative) according to Annex XIII of Regulation (EC) 1907/2006 (REACH).

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Product**

In accordance with regulations for special waste, must be taken to a special waste disposal.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information**14.1 Transport ADR/RID/ADN**

Class	3
Classification code	F1
Packing group	II
Hazard identification no.	33
UN number	UN1266
Proper shipping name	PERFUMERY PRODUCTS
Special Provision 640	640D
Tunnel restriction code	D/E
Label	3

14.2 Transport IMDG

Class	3
Packing group	II
UN number	UN1266
Proper shipping name	PERFUMERY PRODUCTS

Trade name: LINARI-AGATA**Current version :** 3.1.1, issued: 07.11.2022**Replaced version:** 3.1.0, issued: 17.06.2021**Region:** GB

EmS	F-E, S-D
Label	3

14.3 Transport ICAO-TI / IATA

Class	3
Packing group	II
UN number	UN1266
Proper shipping name	Perfumery products
Label	3

14.4 Other information

No data available.

14.5 Environmental hazards

Information on environmental hazards, if relevant, please see 14.1 - 14.3.

14.6 Special precautions for user

No data available.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
EU regulations**Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)**

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII.	No 3, 40
--	----------

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

No	Substance name	CAS no.	EC no.	No
1	(R)-p-mentha-1,8-diene	5989-27-5	227-813-5	75
2	benzyl-salicylate	118-58-1	204-262-9	75
3	linalool	78-70-6	201-134-4	75

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is subject to Part I of Annex I, risk category:	P5b
--	-----

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information**Sources of key data used to compile the data sheet:**

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Trade name: LINARI-AGATA

Current version : 3.1.1, issued: 07.11.2022

Replaced version: 3.1.0, issued: 17.06.2021

Region: GB

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.
Prod-ID 724534