

**Trade name:** LINARI-CALLA**Current version:** 5.0.0, Revision: 23.02.2026**Replaced version:** 4.0.1, Revision: 04.06.2024**Region:** GB**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier****Trade name****LINARI-CALLA****1.2 Relevant identified uses of the substance or mixture and uses advised against****Relevant identified uses of the substance or mixture**

Fragrances

**Uses advised against**

No data available.

**1.3 Details of the supplier of the safety data sheet****Address**LINARI GmbH  
Jaffestrasse 12 | DOCK 2  
21109 Hamburg  
Germany

Telephone no. +49 40-7566850

Fax no. +49 40-7534505

**Advice on Safety Data Sheet**

sdb\_info@umco.de

**1.4 Emergency telephone number**

Emergency CONTACT (24-Hour-Number) international:

GBK GmbH - Global Regulatory Compliance +49 (0)6132-84463

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****Classification in accordance with Regulation (EC) No 1272/2008 (CLP)**

Eye Irrit. 2; H319

Flam. Liq. 3; H226

**Classification information**

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

**2.2 Label elements****Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)****Hazard pictograms**

GHS02



GHS07

**Signal word**

Warning

**Hazard statement(s)**

H226

Flammable liquid and vapour.

H319

Causes serious eye irritation.

**Hazard statements (EU)**

Trade name: LINARI-CALLA

Current version: 5.0.0, Revision: 23.02.2026

Replaced version: 4.0.1, Revision: 04.06.2024

Region: GB

EUH208 Contains (R)-p-mentha-1,8-diene, linalyl acetate, linalool, hexyl-salicylate, Benzyl salicylate, alpha-methyl-1,3-benzodioxole-5-propionaldehyde. May produce an allergic reaction.

**Precautionary statement(s)**

P101 If medical advice is needed, have product container or label at hand.  
 P102 Keep out of reach of children.  
 P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 P501 Dispose of contents/container to a facility in accordance with local and national regulations.

**2.3 Other hazards**

This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**PBT assessment**

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.

**vPvB assessment**

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

**SECTION 3: Composition/information on ingredients****3.1 Substances**

Not applicable. The product is not a substance.

**3.2 Mixtures****Hazardous ingredients**

No	Substance name	Additional information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration %
1	<b>ethanol</b>		
	64-17-5 200-578-6 603-002-00-5 01-2119457610-43	Flam. Liq. 2; H225 Eye Irrit. 2; H319	>= 70.00 - < 90.00 wt%
2	<b>(R)-p-mentha-1,8-diene</b>		
	5989-27-5 227-813-5 601-096-00-2 -	Flam. Liq. 3; H226 Asp. Tox. 1; H304 Skin Irrit. 2; H315 Skin Sens. 1B; H317 Aquatic Acute 1; H400 Aquatic Chronic 3; H412	< 2.50 wt%
3	<b>linalyl acetate</b>		
	115-95-7 204-116-4 - -	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1B; H317	< 2.50 wt%
4	<b>linalool</b>		
	78-70-6 201-134-4 603-235-00-2 -	Skin Irrit. 2; H315 Skin Sens. 1B; H317 Eye Irrit. 2; H319	< 2.50 wt%
5	<b>hexyl-salicylate</b>		
	6259-76-3 228-408-6 607-772-00-3 -	Skin Sens. 1; H317 Repr. 2; H361d	< 0.50 wt%
6	<b>Benzyl salicylate</b>		

Trade name: LINARI-CALLA

Current version: 5.0.0, Revision: 23.02.2026

Replaced version: 4.0.1, Revision: 04.06.2024

Region: GB

	118-58-1 204-262-9 607-754-00-5 01-2119969442-31	Aquatic Chronic 3; H412 Skin Sens. 1B; H317 Eye Irrit. 2; H319	< 0.50	wt%
7	<b>alpha-methyl-1,3-benzodioxole-5-propionaldehyde</b>			
	1205-17-0 214-881-6 - -	Aquatic Chronic 2; H411 Skin Sens. 1B; H317 Repr. 2; H361	< 0.50	wt%

Full text of H- and EUH-phrases, if not already mentioned in section 2.2: see section 16.

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	-	Eye Irrit. 2; H319: C >= 50%	-	-
2	-	-	M = 1	-

No	Route, target organ, concrete effect
7	H361 inhalational; -; -

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General information

In case of persisting adverse effects, consult a physician.

#### After inhalation

Remove affected person from the immediate area. Ensure supply of fresh air. In case of persisting adverse effects consult a physician. If unconscious place in recovery position and seek medical advice.

#### After skin contact

In case of contact with skin wash off immediately with soap and water. Remove contaminated clothing. Consult a doctor if skin irritation persists.

#### After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes).

#### After ingestion

Rinse the mouth thoroughly with water. Do not induce vomiting. If swallowed drink plenty of water and seek medical treatment. Never give anything by mouth to an unconscious person.

### 4.2 Most important symptoms and effects, both acute and delayed

No data available.

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Foam; Extinguishing powder; Carbon dioxide; Water spray jet

#### Unsuitable extinguishing media

High power water jet

### 5.2 Special hazards arising from the substance or mixture

Formation of explosive mixtures with air is possible. Vapours are heavier than air and may spread near ground to sources of ignition. May travel considerable distance to source of ignition and flash back. In the event of fire, the following can be released: Carbon dioxide (CO<sub>2</sub>); Carbon monoxide (CO)

### 5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing.

Trade name: LINARI-CALLA

Current version: 5.0.0, Revision: 23.02.2026

Replaced version: 4.0.1, Revision: 04.06.2024

Region: GB

**SECTION 6: Accidental release measures****6.1 Personal precautions, protective equipment and emergency procedures****For non-emergency personnel**

Exclude sources of ignition and ventilate the area. Avoid contact with skin, eyes and clothing. Refer to protective measures listed in sections 7 and 8.

**For emergency responders**

Personal protective equipment (PPE) - see section 8.

**6.2 Environmental precautions**

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater. In case of entry into waterways, soil or drains, inform the responsible authorities.

**6.3 Methods and material for containment and cleaning up**

Take up with absorbent material (e.g., sand, kieselguhr, universal binder). When collected, handle material as described under the section heading "Disposal considerations".

**6.4 Reference to other sections**

No data available.

**SECTION 7: Handling and storage****7.1 Precautions for safe handling****Advice on safe handling**

Provide good ventilation at the work area (local exhaust ventilation, if necessary).

**General protective and hygiene measures**

Do not eat, drink or smoke during work time. Keep away from food, drink and animal feeding stuffs. After worktime and during work intervals the affected skin areas must be thoroughly cleaned. Avoid contact with eyes and skin. Remove soiled or soaked clothing immediately. Provide eye wash fountain in work area. Have emergency shower available.

**Advice on protection against fire and explosion**

Keep away from sources of heat and ignition. Take precautionary measures against static charges.

**7.2 Conditions for safe storage, including any incompatibilities****Technical measures and storage conditions**

Keep container tightly closed in a cool, well-ventilated place.

**Requirements for storage rooms and vessels**

Store product in closed containers. Always keep in containers of same material as the original.

**Incompatible products**

Do not store together with fire promoting substances.

**7.3 Specific end use(s)**

No data available.

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Occupational exposure limit values**

No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
<b>List of approved workplace exposure limits (WELs) / EH40</b>			
Ethanol			
	WEL long-term (8-hr TWA reference period)	1920	mg/m <sup>3</sup> 1000 ppm

**DNEL, DMEL and PNEC values****DNEL values (worker)**

No	Substance name	CAS / EC no
	Route of exposure	Value
	Exposure time	Effect

Trade name: LINARI-CALLA

Current version: 5.0.0, Revision: 23.02.2026

Replaced version: 4.0.1, Revision: 04.06.2024

Region: GB

1	<b>ethanol</b>			<b>64-17-5 200-578-6</b>	
	dermal	Long term (chronic)	systemic	8238	mg/kg/day
	inhalative	Long term (chronic)	systemic	380	mg/m <sup>3</sup>
2	<b>Benzyl salicylate</b>			<b>118-58-1 204-262-9</b>	
	dermal	Long term (chronic)	systemic	2.21	mg/kg/day
	inhalative	Long term (chronic)	systemic	7.8	mg/m <sup>3</sup>

**DNEL value (consumer)**

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	<b>ethanol</b>			<b>64-17-5 200-578-6</b>	
	inhalative	Long term (chronic)	systemic	114	mg/m <sup>3</sup>
2	<b>Benzyl salicylate</b>			<b>118-58-1 204-262-9</b>	
	oral	Long term (chronic)	systemic	0.79	mg/kg/day
	dermal	Long term (chronic)	systemic	0.79	mg/kg/day
	inhalative	Long term (chronic)	systemic	1.37	mg/m <sup>3</sup>

**PNEC values**

No	Substance name		CAS / EC no	
	ecological compartment	Type	Value	
1	<b>ethanol</b>		<b>64-17-5 200-578-6</b>	
	water	fresh water	0.96	mg/L
	water	marine water	0.79	mg/L
	water	fresh water sediment	3.6	mg/kg dry weight
	water	marine water sediment	2.9	mg/L
	soil	-	0.63	mg/kg dry weight
	sewage treatment plant	-	580	mg/L
	secondary poisoning with reference to: food	-	0.38	g/kg
2	<b>Benzyl salicylate</b>		<b>118-58-1 204-262-9</b>	
	water	fresh water	0.001	mg/L
	water	marine water	0	mg/L
	water	fresh water sediment	0.583	mg/kg dry weight
	water	marine water sediment	0.058	mg/kg dry weight
	soil	-	1.41	mg/kg dry weight
	sewage treatment plant	-	10	mg/L
	secondary poisoning	-	52.7	mg/kg food

**8.2 Exposure controls****Appropriate engineering controls**

Ensure adequate ventilation, local exhaust at the work station if necessary.

**Personal protective equipment****Respiratory protection**

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. Combination filter (EN 14387), filter type A - brown; In case of aerosol, vapour and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

**Eye / face protection**

Tightly fitting safety glasses (EN 166).

**Hand protection**

**Trade name:** LINARI-CALLA**Current version:** 5.0.0, Revision: 23.02.2026**Replaced version:** 4.0.1, Revision: 04.06.2024**Region:** GB

In case of intensive contact, wear protective gloves (EN 374). Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material	butyl rubber		
Material thickness		0.5	mm
Breakthrough time	>	480	min

**Other**

Normal chemical work clothing.

**Environmental exposure controls**

No data available.

**SECTION 9: Physical and chemical properties****9.1 Information on basic physical and chemical properties**

<b>State of aggregation</b>	
liquid	
<b>Form</b>	
liquid	
<b>Colour</b>	
colourless	
<b>Odour</b>	
perfumed-like	
<b>pH value</b>	
Value	5.7
<b>Boiling point / boiling range</b>	
Value	78 °C
Reference substance	Ethanol
<b>Melting point/freezing point</b>	
Value	-114 °C
Reference substance	Ethanol
<b>Decomposition temperature</b>	
No data available	
<b>Flash point</b>	
Value	27 °C
Method	Pensky-Martens closed cup
<b>Ignition temperature</b>	
No data available	
<b>Auto-ignition temperature</b>	
Value	425 °C
Reference substance	Ethanol
<b>Explosive properties</b>	
The product is not explosive. Formation of explosive/highly flammable air-vapour mixtures is possible during/after use.	
<b>Flammability</b>	
No data available	
<b>Lower explosion limit</b>	
Value	3.5 % vol
Reference substance	Ethanol
<b>Upper explosion limit</b>	
Value	15 % vol

Trade name: LINARI-CALLA

Current version: 5.0.0, Revision: 23.02.2026

Replaced version: 4.0.1, Revision: 04.06.2024

Region: GB

Reference substance	Ethanol		
<b>Vapour pressure</b>			
Value	57	mbar	
Reference temperature	20	°C	
Reference substance	Ethanol		
<b>Relative vapour density</b>			
Comments	Air = 1		
Comments	Heavier than air.		
<b>Relative density</b>			
No data available			
<b>Density</b>			
No data available			
<b>Solubility</b>			
No data available			
<b>Partition coefficient n-octanol/water (log value)</b>			
<b>No</b>	<b>Substance name</b>	<b>CAS no.</b>	<b>EC no.</b>
1	ethanol	64-17-5	200-578-6
log Pow		-0.35	
Reference temperature		24	°C
with reference to	pH 7,4		
Method	OECD 107		
Source	ECHA		
2	Benzyl salicylate	118-58-1	204-262-9
log Pow		4.0	
Reference temperature		35	°C
Method	OECD 117		
Source	ECHA		
<b>Kinematic viscosity</b>			
No data available			
<b>Particle characteristics</b>			
No data available			

**9.2 Other information**

<b>Other information</b>
No data available.

**SECTION 10: Stability and reactivity****10.1 Reactivity**

No data available.

**10.2 Chemical stability**

Stable under recommended storage and handling conditions (See section 7).

**10.3 Possibility of hazardous reactions**

Dangerous reactions are not to be expected when handling product according to its intended use. Generation of flammable vapor-air mixtures possible.

**10.4 Conditions to avoid**

Heat, naked flames and other ignition sources. Static discharges.

**10.5 Incompatible materials**

Reactions with strong oxidising agents. Reactions with strong acids. Alkali metals; Halogenated compounds

**10.6 Hazardous decomposition products**

None, if handled according to intended use.

Trade name: LINARI-CALLA

Current version: 5.0.0, Revision: 23.02.2026

Replaced version: 4.0.1, Revision: 04.06.2024

Region: GB

**SECTION 11: Toxicological information****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

<b>Acute oral toxicity</b>			
No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
LD50		10470	mg/kg bodyweight
Species	rat		
with reference to	95% ethanol in water		
Method	OECD 401		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
<b>Acute dermal toxicity</b>			
No data available			
<b>Acute inhalational toxicity</b>			
No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
LC50		124.7	mg/l
Duration of exposure		4	h
State of aggregation	Vapour		
Species	rat		
Method	OECD 403		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
<b>Skin corrosion/irritation</b>			
No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
Species	rabbit		
Method	OECD 404		
Source	ECHA		
Evaluation	non-irritant		
Evaluation/classification	Based on available data, the classification criteria are not met.		
<b>Serious eye damage/irritation</b>			
No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
Species	rabbit		
Method	OECD 405		
Source	ECHA		
Evaluation	irritant		
Evaluation/classification	Based on available data, the classification criteria are met.		
2	Benzyl salicylate	118-58-1	204-262-9
Species	rabbit		
Method	OECD 437		
Source	ECHA		
Evaluation	irritant		
<b>Respiratory or skin sensitisation</b>			
No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
Route of exposure	respiratory tract		
Source	ECHA		
Evaluation	non-sensitizing		
Evaluation/classification	Based on available data, the classification criteria are not met.		
Route of exposure	Skin		
Species	mouse		
Source	ECHA		
Evaluation	non-sensitizing		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Trade name: LINARI-CALLA

Current version: 5.0.0, Revision: 23.02.2026

Replaced version: 4.0.1, Revision: 04.06.2024

Region: GB

2	Benzyl salicylate	118-58-1	204-262-9
Route of exposure		Skin	
Species		mouse	
Method		OECD 429	
Source		ECHA	
Evaluation		sensitizing	

Germ cell mutagenicity			
No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
Type of examination		in vitro gene mutation study in bacteria	
Species		Salmonella typhimurium	
Method		OECD 471	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
Type of examination		in vitro gene mutation study in mammalian cells	
Species		mouse lymphoma cells	
Method		OECD 476	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
Type of examination		Genotoxicity in vivo	
Species		mouse	
Method		OECD 478	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	

Reproduction toxicity			
No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
Route of exposure		oral	
NOAEL			
Type of examination		2 generation study	
Species		mouse	
Method		OECD 416	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
Route of exposure		inhalational	
NOAEL		>=	20000 ppm
Type of examination		Prenatal Developmental Toxicity Study	
Species		rat	
Method		OECD 414	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	

Carcinogenicity			
No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	

STOT - single exposure			
No data available			

STOT - repeated exposure			
No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
Route of exposure		oral	
Duration of exposure		14	week/s
Species		rat	
Target organ		kidneys	
Method		OECD 408	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	

Trade name: LINARI-CALLA

Current version: 5.0.0, Revision: 23.02.2026

Replaced version: 4.0.1, Revision: 04.06.2024

Region: GB

**Aspiration hazard**

No data available

**11.2 Information on other hazards****Endocrine disrupting properties**

No data available

**Other information**

No data available.

**SECTION 12: Ecological information****12.1 Toxicity****Toxicity to fish (acute)**

No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
LC50		14200	mg/l
Duration of exposure		96	h
Species	Pimephales promelas		
Method	EPA		
Source	ECHA		
2	Benzyl salicylate	118-58-1	204-262-9
LC50		1.03	mg/l
Duration of exposure		96	h
Species	Brachydanio rerio		
Method	440/2008/EC C.1.		
Source	ECHA		

**Toxicity to fish (chronic)**

No data available

**Toxicity to Daphnia (acute)**

No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
EC50		5012	mg/l
Duration of exposure		48	h
Species	Ceriodaphnia dubia		
Method	ASTM Standard E 729-80		
Source	ECHA		
2	Benzyl salicylate	118-58-1	204-262-9
EC50		2.25	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Method	OECD 202		
Source	ECHA		

**Toxicity to Daphnia (chronic)**

No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
NOEC		9.6	mg/l
Duration of exposure		9	day(s)
Species	Daphnia magna		
Source	ECHA		

**Toxicity to algae (acute)**

No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
EC50		275	mg/l
Duration of exposure		72	h
Species	Chlorella vulgaris		
Method	OECD 201		
Source	ECHA		

Trade name: LINARI-CALLA

Current version: 5.0.0, Revision: 23.02.2026

Replaced version: 4.0.1, Revision: 04.06.2024

Region: GB

2	Benzyl salicylate	118-58-1	204-262-9
ErC50		1.29	mg/l
Duration of exposure		72	h
Species	Selenastrum capricornutum		
Method	OECD 201		
Source	ECHA		

Toxicity to algae (chronic)			
No data available			

Bacteria toxicity			
No data available			

## 12.2 Persistence and degradability

Biodegradability			
No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
Type	aerobic biodegradation		
Value	appr.	84	%
Duration		20	day(s)
Source	ECHA		
Evaluation	readily biodegradable		
2	Benzyl salicylate	118-58-1	204-262-9
Type	aerobic biodegradation		
Value		93	%
Method	OECD 301 F		
Source	ECHA		

## 12.3 Bioaccumulative potential

Bioconcentration factor (BCF)			
No	Substance name	CAS no.	EC no.
1	Benzyl salicylate	118-58-1	204-262-9
BCF		202	
Method	QSAR		
Source	ECHA		

Partition coefficient n-octanol/water (log value)			
No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
log Pow		-0.35	
Reference temperature		24	°C
with reference to	pH 7,4		
Method	OECD 107		
Source	ECHA		
2	Benzyl salicylate	118-58-1	204-262-9
log Pow		4.0	
Reference temperature		35	°C
Method	OECD 117		
Source	ECHA		

## 12.4 Mobility in soil

No data available.

## 12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	
Product Name	
LINARI-CALLA	
PBT assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.
vPvB assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

**Trade name:** LINARI-CALLA**Current version:** 5.0.0, Revision: 23.02.2026**Replaced version:** 4.0.1, Revision: 04.06.2024**Region:** GB**12.6 Endocrine disrupting properties**

No data available.

**12.7 Other adverse effects**

No data available.

**12.8 Other information****Other information**

Do not discharge product unmonitored into the environment.

**SECTION 13: Disposal considerations****13.1 Waste treatment methods****Product**

In accordance with regulations for special waste, must be taken to a special waste disposal.

**Packaging**

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

**SECTION 14: Transport information****14.1 UN number or ID number**

<b>ADR/RID/ADN</b>	UN1266
<b>IMDG</b>	UN1266
<b>ICAO-TI / IATA</b>	UN1266

**14.2 UN proper shipping name**

<b>ADR/RID/ADN</b>	PERFUMERY PRODUCTS
<b>IMDG</b>	PERFUMERY PRODUCTS
<b>ICAO-TI / IATA</b>	Perfumery products

**14.3 Transport hazard class(es)**

<b>ADR/RID/ADN - Class</b>	3
Label	3
Classification code	F1
Tunnel restriction code	D/E
Hazard identification no.	30
<b>IMDG - Class</b>	3
Label	3
<b>ICAO-TI / IATA - Class</b>	3
Label	3

**14.4 Packing group**

<b>ADR/RID/ADN</b>	III
<b>IMDG</b>	III
<b>ICAO-TI / IATA</b>	III

**14.5 Environmental hazards**

EmS	F-E, S-D
-----	----------

**14.6 Special precautions for user**

No data available.

**14.7 Maritime transport in bulk according to IMO instruments**

Not relevant

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

Trade name: LINARI-CALLA

Current version: 5.0.0, Revision: 23.02.2026

Replaced version: 4.0.1, Revision: 04.06.2024

Region: GB

**EU regulations**

<b>Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)</b>				
According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.				
<b>REACH candidate list of substances of very high concern (SVHC) for authorisation</b>				
According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.				
<b>Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES</b>				
The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII.			No 3, 40	
The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.				
No	Substance name	CAS no.	EC no.	No
1	(R)-p-mentha-1,8-diene	5989-27-5	227-813-5	75
2	alpha-methyl-1,3-benzodioxole-5-propionaldehyde	1205-17-0	214-881-6	75
3	Benzyl salicylate	118-58-1	204-262-9	75
4	dimethylcyclohex-3-ene-1-carbaldehyde	68737-61-1	272-113-5	75
5	hexyl-salicylate	6259-76-3	228-408-6	75
6	linalool	78-70-6	201-134-4	75
<b>Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances</b>				
This product is subject to Part I of Annex I, risk category:				P5c

**15.2 Chemical safety assessment**

A chemical safety assessment has not been carried out for this mixture.

**SECTION 16: Other information****Sources of key data used to compile the data sheet:**

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

**Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)**

H225	Highly flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H361	Suspected of damaging fertility or the unborn child.
H361d	Suspected of damaging the unborn child.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

**Classification information**

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

**Creation of the safety data sheet**

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

---

**Trade name:** LINARI-CALLA

**Current version:** 5.0.0, Revision: 23.02.2026

**Replaced version:** 4.0.1, Revision: 04.06.2024

**Region:** GB

---

This information is based on our present knowledge and experience.  
The safety data sheet describes products with a view to safety requirements.  
It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

**Alterations/supplements:**

Alterations to the previous edition are marked in the left-hand margin.

Copyright-protected document. Any changes or reproductions require the express consent of UMCO GmbH.

Prod-ID 677975