

Trade name: LINARI-ESTATE Car Fragrance**Current version :** 1.0.0, issued: 02.12.2024**Replaced version:** -, issued: -**Region:**
GER**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier****Trade name****LINARI-ESTATE Car Fragrance****UFI:**

YYAA-Y145-C00E-DEDC

1.2 Relevant identified uses of the substance or mixture and uses advised against**Relevant identified uses of the substance or mixture**

Car fragrance

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet**Address**LINARI GmbH
Jaffestrasse 12 | DOCK 2
21109 Hamburg
Germany

Telephone no. +49 40-7566850

Fax no. +49 40-7534505

Advice on Safety Data Sheet

sdb_info@umco.de

1.4 Emergency telephone number

Emergency CONTACT (24-Hour-Number) international:

GBK GmbH - Global Regulatory Compliance +49 (0)6132-84463

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****Classification in accordance with Regulation (EC) No 1272/2008 (CLP)**

Aquatic Chronic 2; H411

Skin Sens. 1; H317

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements**Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)****Hazard pictograms**

GHS07



GHS09

Signal word

Warning

Hazardous component(s) to be indicated on label:

3,7-dimethylnona-1,6-dien-3-ol

nerol

Trade name: LINARI-ESTATE Car Fragrance**Current version :** 1.0.0, issued: 02.12.2024**Replaced version:** -, issued: -**Region:**
GER

linalyl acetate

Hazard statement(s)

H317 May cause an allergic skin reaction.
 H411 Toxic to aquatic life with long lasting effects.

Hazard statements (EU)

EUH208 Contains 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1 one, citral, methyl 2,4-dihydroxy-3,6-dimethylbenzoate, (E)-1-(2,6,6-trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one. May produce an allergic reaction.

Precautionary statement(s)

P101 If medical advice is needed, have product container or label at hand.
 P102 Keep out of reach of children.
 P273 Avoid release to the environment.
 P280 Wear protective gloves/protective clothing/eye protection/face protection.
 P391 Collect spillage.
 P501 Dispose of contents/container to a facility in accordance with local and national regulations.

UFI:

YYAA-Y145-C00E-DEDC

2.3 Other hazards

According to the information provided in the supply chain: This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

PBT assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.

vPvB assessment

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

SECTION 3: Composition/information on ingredients**3.1 Substances**

Not applicable. The product is not a substance.

3.2 Mixtures**Hazardous ingredients**

No	Substance name		Additional information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration	%
1	3,7-dimethylnona-1,6-dien-3-ol			
	10339-55-6 233-732-6 - 01-2119969272-32	Eye Irrit. 2; H319 Skin Irrit. 2; H315 Skin Sens. 1B; H317	< 2,50	wt%
2	nerol			
	106-25-2 203-378-7 - -	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1B; H317	< 2,50	wt%
3	linalyl acetate			
	115-95-7 204-116-4 - -	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1B; H317	< 2,50	wt%
4	OXACYCLOHEXADECEN-2-ONE			

Trade name: LINARI-ESTATE Car Fragrance

Current version : 1.0.0, issued: 02.12.2024

Replaced version: -, issued: -

Region:
GER

	34902-57-3 422-320-3 606-092-00-4 01-0000016883-62	Aquatic Acute 1; H400 Aquatic Chronic 1; H410	< 2,50	wt%
5	3-methyl-5-phenylpentanol			
	55066-48-3 259-461-3 - -	Acute Tox. 4; H302	< 2,50	wt%
6	2,6-dimethyloct-7-en-2-ol			
	18479-58-8 242-362-4 - 01-2119457274-37	Eye Irrit. 2; H319 Skin Irrit. 2; H315 STOT SE 3; H336	< 2,50	wt%
7	1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one			
	54464-57-2 259-174-3 - -	Aquatic Chronic 1; H410 Skin Sens. 1; H317 Skin Irrit. 2; H315	< 2,50	wt%
8	vinyl acetate			
	108-05-4 203-545-4 607-023-00-0 01-2119471301-50	Flam. Liq. 2; H225 Acute Tox. 4; H332 STOT SE 3; H335 Carc. 2; H351 Aquatic Chronic 3; H412	< 2,50	wt%
9	citral			
	5392-40-5 226-394-6 605-019-00-3 -	Eye Irrit. 2; H319 Skin Irrit. 2; H315 Skin Sens. 1; H317	< 0,50	wt%
10	methyl 2,4-dihydroxy-3,6-dimethylbenzoate			
	4707-47-5 225-193-0 - 01-2120762759-36	Skin Sens. 1B; H317	< 0,50	wt%
11	2,6-di-tert-butyl-p-cresol			
	128-37-0 204-881-4 - 01-2119555270-46	Aquatic Acute 1; H400 Aquatic Chronic 1; H410	< 0,50	wt%
12	(E)-1-(2,6,6-trimethyl-1,3-cyclohexadien-1-yl)-2-buten-1-one			
	23726-93-4 245-844-2 - 01-2120105798-49	Aquatic Chronic 2; H411 Skin Irrit. 2; H315 Skin Sens. 1A; H317	< 0,10	wt%

Full text of H- and EUH-phrases, if not already mentioned in section 2.2: see section 16.

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
8	D	-	-	-

Full text for the notes: pls. see section 16 "Notes relating to the identification, classification and labelling of substances ((EC) No 1272/2008, Annex VI)".

SECTION 4: First aid measures**4.1 Description of first aid measures****General information**

Remove contaminated clothing and shoes immediately, and launder thoroughly before reusing. In case of persisting adverse effects, consult a physician. In case of allergic symptoms, especially respiratory tract related, seek medical help immediately.

Trade name: LINARI-ESTATE Car Fragrance**Current version :** 1.0.0, issued: 02.12.2024**Replaced version:** -, issued: -**Region:**
GER**After inhalation**

Remove affected persons from dangerous area by observing suitable respiratory protection measures. Ensure supply of fresh air.

After skin contact

In case of contact with skin wash off immediately with copious amounts of water.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes).

After ingestion

Rinse the mouth thoroughly with water. Do not induce vomiting. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures**5.1 Extinguishing media****Suitable extinguishing media**

Alcohol resistant foam, CO₂, powders, water spray

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon dioxide (CO₂); Carbon monoxide (CO)

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing. Run-off water from fire fighting must not be discharged into drains or enter surface water.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures****For non-emergency personnel**

Refer to protective measures listed in sections 7 and 8.

For emergency responders

Personal protective equipment (PPE) - see section 8.

6.2 Environmental precautions

Do not discharge into the drains/surface waters/groundwater. In case of entry into waterways, soil or drains, inform the responsible authorities.

6.3 Methods and material for containment and cleaning up

Collect mechanically. When collected, handle material as described under the section heading "Disposal considerations". Avoid raising dust.

6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: Handling and storage**7.1 Precautions for safe handling****Advice on safe handling**

Trade name: LINARI-ESTATE Car Fragrance**Current version :** 1.0.0, issued: 02.12.2024**Replaced version:** -, issued: -**Region:**
GER

Risks inherent to handling the product must be minimised by applying the appropriate protective and preventive measures. Working processes should - so far as possible, according to the state of the art - be designed to rule out bodily contact or the release of hazardous substances.

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from foodstuffs and beverages. Do not inhale dust. Avoid contact with eyes and skin. Wash hands before breaks and after work. Remove contaminated clothing and shoes and launder thoroughly before reusing.

7.2 Conditions for safe storage, including any incompatibilities**Technical measures and storage conditions**

Keep container tightly closed and dry in a cool, well-ventilated place.

Requirements for storage rooms and vessels

Containers which are opened must be carefully closed and kept upright to prevent leakage. Always keep in containers of same material as the original.

Incompatible products

Substances to be avoided, see section 10.

Storage Class according TRGS 510

10-13 Combustible and Non-combustible liquids and solids that cannot be assigned to storage class 1-8.

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Occupational exposure limit values**

No	Substance name	CAS no.	EC no.
1	vinyl acetate	108-05-4	203-545-4
	2009/161/EU		
	vinyl acetate		
	WEL short-term (15 min reference period)	35,2	mg/m ³ 10 ppm
	WEL long-term (8-hr TWA reference period)	17,6	mg/m ³ 5 ppm
	TRGS 900		
	Vinylacetat		
	WEL long-term (8-hr TWA reference period)	36	mg/m ³ 10 ml/m ³
	Ceiling Limit	1;=2=(I)	
	Skin resorption / sensibilisation	H	
	Notes	Y	
2	2,6-di-tert-butyl-p-cresol	128-37-0	204-881-4
	TRGS 900		
	2,6-Di-tert-butyl-p-kresol		
	WEL long-term (8-hr TWA reference period)	10 E	mg/m ³
	Ceiling Limit	4 (II)	
	Notes	Y, 11	

DNEL, DMEL and PNEC values**DNEL values (worker)**

No	Substance name	CAS / EC no		
	Route of exposure	Exposure time	Effect	Value
1	3,7-dimethylnona-1,6-dien-3-ol			10339-55-6 233-732-6
	dermal	Long term (chronic)	systemic	2,7 mg/kg/day
	dermal	Short term (acut)	systemic	5,5 mg/kg/day
	dermal	Long term (chronic)	local	1,6 mg/cm ²
	dermal	Short term (acut)	local	1,6 mg/cm ²
	inhalative	Long term (chronic)	systemic	3 mg/m ³

Trade name: LINARI-ESTATE Car Fragrance

Current version : 1.0.0, issued: 02.12.2024

Replaced version: -, issued: -

Region:
GER

2	inhalative	Short term (acut)	systemic	18	mg/m ³
	2,6-dimethyloct-7-en-2-ol			18479-58-8	
				242-362-4	
	dermal	Long term (chronic)	systemic	7	mg/kg bw/day
	inhalative	Long term (chronic)	systemic	24,7	mg/m ³
3	vinyl acetate			108-05-4	
				203-545-4	
	dermal	Long term (chronic)	systemic	0,42	mg/kg/day
	inhalative	Short term (acut)	systemic	35,2	mg/m ³
	inhalative	Short term (acut)	local	35,2	mg/m ³
	inhalative	Long term (chronic)	systemic	17,6	mg/m ³
	inhalative	Long term (chronic)	local	17,6	mg/m ³
4	2,6-di-tert-butyl-p-cresol			128-37-0	
				204-881-4	
	dermal	Long term (chronic)	systemic	0,5	mg/kg/day
	inhalative	Long term (chronic)	systemic	1,76	mg/m ³

DNEL value (consumer)

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	3,7-dimethylnona-1,6-dien-3-ol			10339-55-6	
				233-732-6	
	oral	Long term (chronic)	systemic	0,2	mg/kg/day
	oral	Short term (acut)	systemic	1,3	mg/kg/day
	dermal	Long term (chronic)	systemic	1,4	mg/kg/day
	dermal	Short term (acut)	systemic	2,7	mg/kg/day
	dermal	Long term (chronic)	local	1,6	mg/cm ²
	dermal	Short term (acut)	local	1,6	mg/cm ²
	inhalative	Long term (chronic)	systemic	0,74	mg/m ³
	inhalative	Short term (acut)	systemic	4,4	mg/m ³
2	2,6-dimethyloct-7-en-2-ol			18479-58-8	
				242-362-4	
	oral	Long term (chronic)	systemic	2,5	mg/kg bw/day
	dermal	Long term (chronic)	systemic	2,5	mg/kg bw/day
	inhalative	Long term (chronic)	systemic	4,35	mg/m ³
3	2,6-di-tert-butyl-p-cresol			128-37-0	
				204-881-4	
	oral	Long term (chronic)	systemic	0,25	mg/kg/day
	dermal	Long term (chronic)	systemic	0,25	mg/kg/day
	inhalative	Long term (chronic)	systemic	0,435	mg/m ³

PNEC values

No	Substance name		CAS / EC no	
	ecological compartment	Type	Value	
1	3,7-dimethylnona-1,6-dien-3-ol		10339-55-6	
			233-732-6	
	water	fresh water	0,023	mg/L
	water	marine water	0,002	mg/L
	water	Aqua intermittent	0,23	mg/L
	water	fresh water sediment	0,223	mg/kg dry weight
	water	marine water sediment	0,022	mg/kg dry weight
	soil	-	0,031	mg/kg dry weight
	sewage treatment plant	-	10	mg/L
	secondary poisoning with reference to: food	-	8,53	mg/kg
2	OXACYCLOHEXADECEN-2-ONE		34902-57-3	
			422-320-3	
	water	fresh water	2,7	µg/L

Trade name: LINARI-ESTATE Car Fragrance**Current version :** 1.0.0, issued: 02.12.2024**Replaced version:** -, issued: -**Region:**
GER

	water	marine water	0,27	µg/L
	water	marine water sediment	4,2	mg/kg dry weight
	water	fresh water sediment	21	mg/kg dry weight
	soil	-	5,44	mg/kg dry weight
	sewage treatment plant	-	10	mg/L
3	2,6-dimethyloct-7-en-2-ol		18479-58-8 242-362-4	
	water	fresh water	27,8	µg/L
	water	marine water	2,78	µg/L
	water	fresh water sediment	0,594	mg/kg dry weight
	water	marine water sediment	0,059	mg/kg dry weight
	soil	-	0,103	mg/kg dry weight
	sewage treatment plant	-	10	mg/L
	secondary poisoning	-	111	mg/kg food
4	vinyl acetate		108-05-4 203-545-4	
	water	fresh water	0,016	mg/L
	water	marine water	0,0016	mg/L
	water	Aqua intermittent	0,126	mg/L
	water	fresh water sediment	0,067	mg/kg
	water	marine water sediment	0,0067	mg/kg
	soil	-	0,0035	mg/kg
	sewage treatment plant	-	6	mg/L
5	2,6-di-tert-butyl-p-cresol		128-37-0 204-881-4	
	water	fresh water	0,199	µg/L
	water	marine water	0,02	µg/L
	water	fresh water sediment	0,458	mg/kg dry weight
	water	marine water sediment	0,046	mg/kg dry weight
	soil	-	0,054	mg/kg dry weight
	sewage treatment plant	-	0,017	mg/L
	secondary poisoning	-	16,67	mg/kg food

8.2 Exposure controls

Appropriate engineering controls

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL (=Occupational Exposure Limit), suitable respiratory protection must be worn.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. In case of dust formation, take appropriate measures for breathing protection in the event that workplace threshold values are not specified.

Eye / face protection

Safety glasses with side protection shield (EN 166)

Hand protection

Trade name: LINARI-ESTATE Car Fragrance**Current version :** 1.0.0, issued: 02.12.2024**Replaced version:** -, issued: -**Region:**
GER

Sufficient protection is given wearing suitable protective gloves checked according to i.e. EN 374, in the event of risk of skin contact with the product. Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Other

Chemical-resistant work clothes.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

State of aggregation	
solid	
Form	
pellets	
Colour	
light grey	
Odour	
characteristic	
pH value	
reason for missing pH	substance/mixture is non-soluble (in water)
Boiling point / boiling range	
No data available	
Melting point/freezing point	
No data available	
Decomposition temperature	
No data available	
Flash point	
No data available	
Ignition temperature	
No data available	
Flammability	
No data available	
Lower explosion limit	
No data available	
Upper explosion limit	
No data available	
Vapour pressure	
No data available	
Relative vapour density	
No data available	
Relative density	
No data available	
Density	
No data available	
Solubility	

Trade name: LINARI-ESTATE Car Fragrance**Current version :** 1.0.0, issued: 02.12.2024**Replaced version:** -, issued: -**Region:**
GER

No data available

Partition coefficient n-octanol/water (log value)			
No	Substance name	CAS no.	EC no.
1	2,6-dimethyloct-7-en-2-ol	18479-58-8	242-362-4
log Pow		3,25	
Reference temperature		40	°C
Method		OECD 117	
Source		ECHA	
2	vinyl acetate	108-05-4	203-545-4
log Pow		0,73	
Reference temperature		25	°C
Source		ECHA	
3	2,6-di-tert-butyl-p-cresol	128-37-0	204-881-4
log Pow		~	5,1
Source		ECHA / weight of evidence	

Kinematic viscosity
No data available

Particle characteristics
No data available

9.2 Other information

Other information
No data available.

SECTION 10: Stability and reactivity**10.1 Reactivity**

No data available.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Dangerous reactions are not to be expected when handling product according to its intended use.

10.4 Conditions to avoid

Heat, naked flames and other ignition sources.

10.5 Incompatible materials

strong oxidizing agents; strong acids; strong bases

10.6 Hazardous decomposition products

None if stored, handled and transported properly. In case of fire: see section 5.

SECTION 11: Toxicological information**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Acute oral toxicity (result of the ATE calculation for the mixture)	
Product Name	
LINARI-ESTATE Car Fragrance	
Comments	The result of the applied calculation method according to the European Regulation (EC) 1272/2008 (CLP), Paragraph 3.1.3.6, Part 3 of Annex I is outside the values that imply a classification / labelling of this mixture according to table 3.1.1 defining the respective categories (ATE oral > 2000 mg/kg).

Acute oral toxicity			
No	Substance name	CAS no.	EC no.
1	2,6-dimethyloct-7-en-2-ol	18479-58-8	242-362-4
LD50		4100	mg/kg bodyweight

Trade name: LINARI-ESTATE Car Fragrance**Current version :** 1.0.0, issued: 02.12.2024**Replaced version:** -, issued: -**Region:**
GER

Species	rat
Source	ECHA
2	2,6-di-tert-butyl-p-cresol 128-37-0 204-881-4
LD50	> 6000 mg/kg bodyweight
Species	rat
Method	OECD 401
Source	ECHA

Acute dermal toxicity			
No	Substance name	CAS no.	EC no.
1	vinyl acetate	108-05-4	203-545-4
LD50		7440	mg/kg bodyweight
Species	rabbit		
Source	ECHA		
2	2,6-di-tert-butyl-p-cresol 128-37-0 204-881-4		
LD50	>	2000	mg/kg bodyweight
Species	rat		
Method	OECD 402		
Source	ECHA		

Acute inhalational toxicity			
No data available			

Skin corrosion/irritation			
No	Substance name	CAS no.	EC no.
1	2,6-dimethyloct-7-en-2-ol	18479-58-8	242-362-4
Species	rabbit		
Method	EU B.46		
Source	ECHA		
Evaluation	irritant		
2	vinyl acetate	108-05-4	203-545-4
Species	rabbit		
Method	OECD 404		
Source	ECHA		
Evaluation	non-irritant		
3	2,6-di-tert-butyl-p-cresol 128-37-0 204-881-4		
Species	rabbit		
Method	Draize method		
Source	ECHA		
Evaluation	non-irritant		

Serious eye damage/irritation			
No	Substance name	CAS no.	EC no.
1	2,6-dimethyloct-7-en-2-ol	18479-58-8	242-362-4
Species	rabbit		
Method	Draize method		
Source	ECHA		
Evaluation	irritant		
2	vinyl acetate	108-05-4	203-545-4
Species	rabbit		
Method	OECD 405		
Source	ECHA		
Evaluation	non-irritant		
3	2,6-di-tert-butyl-p-cresol 128-37-0 204-881-4		
Species	rabbit		
Method	Draize method		
Source	ECHA		
Evaluation	non-irritant		

Respiratory or skin sensitisation			
No	Substance name	CAS no.	EC no.
1	2,6-dimethyloct-7-en-2-ol	18479-58-8	242-362-4

Trade name: LINARI-ESTATE Car Fragrance

Current version : 1.0.0, issued: 02.12.2024

Replaced version: -, issued: -

Region:
GER

Route of exposure	Skin		
Species	guinea pig		
Method	OECD 406		
Source	ECHA		
Evaluation	non-sensitizing		
2	vinyl acetate	108-05-4	203-545-4
Route of exposure	Skin		
Species	mouse		
Method	OECD 429		
Source	ECHA		
Evaluation	non-sensitizing		
3	2,6-di-tert-butyl-p-cresol	128-37-0	204-881-4
Route of exposure	Skin		
Source	ECHA / Read across		
Evaluation	non-sensitizing		

Germ cell mutagenicity			
No	Substance name	CAS no.	EC no.
1	vinyl acetate	108-05-4	203-545-4
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
2	2,6-di-tert-butyl-p-cresol	128-37-0	204-881-4
Source	ECHA / weight of evidence		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Reproduction toxicity			
No	Substance name	CAS no.	EC no.
1	vinyl acetate	108-05-4	203-545-4
Route of exposure	oral		
Type of examination	Two-Generation Reproduction Toxicity Study		
Species	rat		
Method	OECD 416		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
2	2,6-di-tert-butyl-p-cresol	128-37-0	204-881-4
Source	ECHA / weight of evidence		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Carcinogenicity			
No	Substance name	CAS no.	EC no.
1	vinyl acetate	108-05-4	203-545-4
Method	OECD 453		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are met.		
2	2,6-di-tert-butyl-p-cresol	128-37-0	204-881-4
Source	ECHA / weight of evidence		
Evaluation/classification	Based on available data, the classification criteria are not met.		

STOT - single exposure			
No data available			

STOT - repeated exposure			
No	Substance name	CAS no.	EC no.
1	2,6-dimethyloct-7-en-2-ol	18479-58-8	242-362-4
Route of exposure	oral		
Species	rat		
Method	OECD 408		
Source	ECHA		
Evaluation/classification	On the basis of the available information, the classification criteria are not met.		
2	vinyl acetate	108-05-4	203-545-4
Route of exposure	oral		

Trade name: LINARI-ESTATE Car Fragrance**Current version :** 1.0.0, issued: 02.12.2024**Replaced version:** -, issued: -**Region:**
GER

Species	mouse
Method	OECD 408
Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.
Route of exposure	inhalational
Species	mouse
Method	OECD 453
Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.
3	2,6-di-tert-butyl-p-cresol 128-37-0 204-881-4
Route of exposure	oral
NOAEL	25 mg/kg bw/d
Species	rats (male/female)
Target organ	liver
Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.

Aspiration hazard

No data available

Endocrine disrupting properties

No data available

11.2 Information on other hazards**Other information**

No data available.

SECTION 12: Ecological information**12.1 Toxicity**

Toxicity to fish (acute)			
No	Substance name	CAS no.	EC no.
1	2,6-dimethyloct-7-en-2-ol	18479-58-8	242-362-4
LC50		27,8	mg/l
Duration of exposure		96	h
Species	Oncorhynchus mykiss		
Method	OECD 203		
Source	ECHA		
2	2,6-di-tert-butyl-p-cresol	128-37-0	204-881-4
LC50		0,199	mg/l
Duration of exposure		96	h
Species	freshwater fish		
Method	QSAR		
Source	ECHA		

Toxicity to fish (chronic)			
No	Substance name	CAS no.	EC no.
1	vinyl acetate	108-05-4	203-545-4
NOEC		0,551	mg/l
Duration of exposure		34	day(s)
Species	Pimephales promelas		
Method	OECD 210		
Source	ECHA		
2	2,6-di-tert-butyl-p-cresol	128-37-0	204-881-4
NOEC		0,053	mg/l
Duration of exposure		30	day(s)
Species	Oryzias latipes		
Method	OECD 210		
Source	ECHA		

Toxicity to Daphnia (acute)

Trade name: LINARI-ESTATE Car Fragrance

Current version : 1.0.0, issued: 02.12.2024

Replaced version: -, issued: -

Region:
GER

No	Substance name	CAS no.	EC no.
1	2,6-dimethyloct-7-en-2-ol	18479-58-8	242-362-4
EC50		38	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Method	OECD 202		
Source	ECHA		
2	vinyl acetate	108-05-4	203-545-4
EC50		12,6	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Method	OECD 202		
Source	ECHA		
3	2,6-di-tert-butyl-p-cresol	128-37-0	204-881-4
EC50		0,48	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Method	OECD 202		
Source	ECHA		

Toxicity to Daphnia (chronic)			
No	Substance name	CAS no.	EC no.
1	2,6-dimethyloct-7-en-2-ol	18479-58-8	242-362-4
NOEC		9,5	mg/l
Duration of exposure		21	day(s)
Species	Daphnia magna		
Method	OECD 211		
Source	ECHA		
2	2,6-di-tert-butyl-p-cresol	128-37-0	204-881-4
NOEC		0,069	mg/l
Duration of exposure		21	day(s)
Species	Daphnia magna		
Method	OECD 211		
Source	ECHA		

Toxicity to algae (acute)			
No	Substance name	CAS no.	EC no.
1	2,6-dimethyloct-7-en-2-ol	18479-58-8	242-362-4
EC50		80	mg/l
Duration of exposure		72	h
Species	Desmodesmus subspicatus		
Method	OECD 201		
Source	ECHA		
2	vinyl acetate	108-05-4	203-545-4
EC50		12,7	mg/l
Duration of exposure		72	h
Species	Pseudokirchneriella subcapitata		
Method	OECD 201		
Source	ECHA		
3	2,6-di-tert-butyl-p-cresol	128-37-0	204-881-4
EC50		0,758	mg/l
Duration of exposure		96	h
Species	Green algae		
Method	Weight of evidence - (Q)SAR		
Source	ECHA		

Toxicity to algae (chronic)			
No	Substance name	CAS no.	EC no.
1	2,6-di-tert-butyl-p-cresol	128-37-0	204-881-4
NOEC		0,24	mg/l
Duration of exposure		96	h
Species	Green algae		

Trade name: LINARI-ESTATE Car Fragrance**Current version :** 1.0.0, issued: 02.12.2024**Replaced version:** -, issued: -**Region:**
GER

Method Source	Weight of evidence - (Q)SAR ECHA
------------------	-------------------------------------

Bacteria toxicity			
No	Substance name	CAS no.	EC no.
1	2,6-di-tert-butyl-p-cresol	128-37-0	204-881-4
EC50		1,7	mg/l
Duration of exposure		24	h
Species	Tetrahymena pyriformis (Protozoa)		
Source	ECHA / weight of evidence		

12.2 Persistence and degradability

Biodegradability			
No	Substance name	CAS no.	EC no.
1	2,6-dimethyloct-7-en-2-ol	18479-58-8	242-362-4
Value		72	%
Duration		28	day(s)
Method	OECD 301 B		
Source	ECHA		
Evaluation	readily biodegradable		
2	vinyl acetate	108-05-4	203-545-4
Type	BOD		
Value		90	%
Duration		14	d
Method	OECD 301 C		
Source	ECHA		
Evaluation	readily biodegradable		
3	2,6-di-tert-butyl-p-cresol	128-37-0	204-881-4
Source	ECHA / weight of evidence		
Evaluation/classification	Not readily biodegradable		

12.3 Bioaccumulative potential

Bioconcentration factor (BCF)			
No	Substance name	CAS no.	EC no.
1	2,6-dimethyloct-7-en-2-ol	18479-58-8	242-362-4
BCF		64,8	
Method	QSAR		
Source	ECHA		
2	vinyl acetate	108-05-4	203-545-4
BCF		3,16	
Method	Calculation model used (Q)SAR		
Source	ECHA		
3	2,6-di-tert-butyl-p-cresol	128-37-0	204-881-4
BCF		1,277	
Source	ECHA / weight of evidence		

Partition coefficient n-octanol/water (log value)			
No	Substance name	CAS no.	EC no.
1	2,6-dimethyloct-7-en-2-ol	18479-58-8	242-362-4
log Pow		3,25	
Reference temperature		40	°C
Method	OECD 117		
Source	ECHA		
2	vinyl acetate	108-05-4	203-545-4
log Pow		0,73	
Reference temperature		25	°C
Source	ECHA		
3	2,6-di-tert-butyl-p-cresol	128-37-0	204-881-4
log Pow		~	5,1
Source	ECHA / weight of evidence		

Trade name: LINARI-ESTATE Car Fragrance**Current version :** 1.0.0, issued: 02.12.2024**Replaced version:** -, issued: -**Region:**
GER**12.4 Mobility in soil**

Mobility in soil			
No	Substance name	CAS no.	EC no.
1	vinyl acetate	108-05-4	203-545-4
log K _{oc}		1,38	
Method		QSAR	
Source		ECHA	

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	
Product Name	
LINARI-ESTATE Car Fragrance	
PBT assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.
vPvB assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

Other information
Do not discharge into drains or waters and do not dispose of in public landfills.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Product**

Disposal of the product should be carried out in accordance with all applicable regulations following consultation with the responsible local authority and the disposal company in an authorised and suitable disposal facility. Allocation of a waste code number, according to the European Waste Catalogue, should be carried out in agreement with the regional waste disposal company.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information**14.1 UN number or ID number**

ADR/RID/ADN	UN3077
IMDG	UN3077
ICAO-TI / IATA	UN3077

14.2 UN proper shipping name

ADR/RID/ADN	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
Technical name	OXACYCLOHEXADECEN-2-ONE 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1 one
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
Technical name	OXACYCLOHEXADECEN-2-ONE 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1 one
ICAO-TI / IATA	Environmentally hazardous substance, solid, n.o.s.
Technical name	OXACYCLOHEXADECEN-2-ONE 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1 one

14.3 Transport hazard class(es)

Trade name: LINARI-ESTATE Car Fragrance**Current version :** 1.0.0, issued: 02.12.2024**Replaced version:** -, issued: -**Region:**
GER

ADR/RID/ADN - Class	9
Label	9
Classification code	M7
Tunnel restriction code	-
Hazard identification no.	90
IMDG - Class	9
Label	9
ICAO-TI / IATA - Class	9
Label	9

14.4 Packing group

ADR/RID/ADN	III
IMDG	III
ICAO-TI / IATA	III

14.5 Environmental hazards

ADR/RID/ADN	Symbol "fish and tree"
IMDG	Symbol "fish and tree"
EmS	F-A, S-F
ICAO-TI / IATA	Symbol "fish and tree"

14.6 Special precautions for user

No data available.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulations****Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)**

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

No	Substance name	CAS no.	EC no.	No
1	citral	5392-40-5	226-394-6	75
2	vinyl acetate	108-05-4	203-545-4	75

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances

This product is subject to Part I of Annex I, risk category: E2

Other regulations

Adhere to the national sanitary and occupational safety regulations when using this product.

National regulations**Water Hazard Class (Germany)**

Class 2
Source Classification according to AwSV (Regulation on facilities for handling substances that are hazardous to water).

Trade name: LINARI-ESTATE Car Fragrance**Current version :** 1.0.0, issued: 02.12.2024**Replaced version:** -, issued: -**Region:**
GER**15.2 Chemical safety assessment**

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information**Sources of key data used to compile the data sheet:**

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H351	Suspected of causing cancer.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Notes relating to the identification, classification and labelling of substances and mixtures ((EC) No 1272/2008, Annex VI)

D	Certain substances which are susceptible to spontaneous polymerisation or decomposition are generally placed on the market in a stabilised form. It is in this form that they are listed in Part 3. However, such substances are sometimes placed on the market in a non-stabilised form. In this case, the supplier must state on the label the name of the substance followed by the words 'non-stabilised'.
---	--

Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 805708