

Trade name: LINARI-ICONA**Current version:** 3.0.0, Revision: 04.11.2025**Replaced version:** 2.1.1, Revision: 04.06.2024**Region:** GB**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier****Trade name****LINARI-ICONA****1.2 Relevant identified uses of the substance or mixture and uses advised against****Relevant identified uses of the substance or mixture**

Fragrances

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet**Address**LINARI GmbH
Jaffestrasse 12 | DOCK 2
21109 Hamburg
Germany

Telephone no. +49 40-7566850

Fax no. +49 40-7534505

Advice on Safety Data Sheet

sdb_info@umco.de

1.4 Emergency telephone number

Emergency CONTACT (24-Hour-Number) international:

GBK GmbH - Global Regulatory Compliance +49 (0)6132-84463

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****Classification in accordance with Regulation (EC) No 1272/2008 (CLP)**

Aquatic Chronic 3; H412

Eye Irrit. 2; H319

Flam. Liq. 2; H225

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements**Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)****Hazard pictograms**

GHS02



GHS07

Signal word

Danger

Hazard statement(s)

H225

Highly flammable liquid and vapour.

H319

Causes serious eye irritation.

H412

Harmful to aquatic life with long lasting effects.

Trade name: LINARI-ICONA

Current version: 3.0.0, Revision: 04.11.2025

Replaced version: 2.1.1, Revision: 04.06.2024

Region: GB

Hazard statements (EU)

EUH208

Contains pentadecan-15-olide, linalool, Reaction Mass of 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one, Coumarin, [3R-(3alpha,3abeta,7beta,8alpha)]-1-(2,3,4,7,8,8a-hexahydro-3,6,8,8 tetramethyl-1H-3a,7-methanoazulen-5-yl)ethan-1-one, 3-phenylprop-2-en-1-ol, cinnamaldehyde. May produce an allergic reaction.

Precautionary statement(s)

P101

If medical advice is needed, have product container or label at hand.

P102

Keep out of reach of children.

P210

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P501

Dispose of contents/container to a facility in accordance with local/regional/national/international regulations.

2.3 Other hazards

PBT assessment

The components of this product are not considered to be PBT (PBT = persistent, bioaccumulative, toxic) according to Annex XIII of Regulation (EC) 1907/2006 (REACH).

vPvB assessment

The components of this product are not considered to be vPvB (vPvB = very persistent, very bioaccumulative) according to Annex XIII of Regulation (EC) 1907/2006 (REACH).

SECTION 3: Composition/information on ingredients**3.1 Substances**

Not applicable. The product is not a substance.

3.2 Mixtures**Hazardous ingredients**

No	Substance name		Additional information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration	%
1	ethanol			
	64-17-5 200-578-6 603-002-00-5 01-2119457610-43	Flam. Liq. 2; H225 Eye Irrit. 2; H319	>= 70.00 - < 90.00	wt%
2	pentadecan-15-olide			
	106-02-5 203-354-6 - 01-2119987323-31	Aquatic Chronic 2; H411 Skin Sens. 1B; H317	< 2.50	wt%
3	linalool			
	78-70-6 201-134-4 603-235-00-2 01-2119474016-42	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1B; H317	< 2.50	wt%
4	2-ethyl-4-(2,2,3-trimethyl-3-cyclopenten-1-yl)-2-buten-1-ol			
	28219-61-6 248-908-8 - -	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 Eye Irrit. 2; H319	< 2.50	wt%
5	Reaction Mass of 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one			
	- 915-730-3 - 01-2119489989-04	Aquatic Chronic 1; H410 Skin Irrit. 2; H315 Skin Sens. 1B; H317	< 2.50	wt%

Trade name: LINARI-ICONA

Current version: 3.0.0, Revision: 04.11.2025

Replaced version: 2.1.1, Revision: 04.06.2024

Region: GB

6	Cyclopropanemethanol, 1-Methyl-2-[[1,2,2-trimethylbicyclohex-3yl]methyl]-			
	198404-98-7 427-900-1 - 01-0000017424-73	Aquatic Acute 1; H400 Aquatic Chronic 1; H410	< 0.50	wt%
7	Coumarin			
	91-64-5 202-086-7 - 01-2119949300-45	Acute Tox. 4; H302 Skin Sens. 1; H317 Aquatic Chronic 3; H412	< 0.50	wt%
8	[3R-(3alpha,3abeta,7beta,8alpha)]-1-(2,3,4,7,8,8a-hexahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulen-5-yl)ethan-1-one			
	32388-55-9 251-020-3 - 01-2119969651-28	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 Skin Sens. 1B; H317	< 0.50	wt%
9	3-phenylprop-2-en-1-ol			
	104-54-1 203-212-3 - 01-2119934496-29	Skin Sens. 1; H317 Acute Tox. 4; H302 Aquatic Chronic 2; H411	< 0.50	wt%
10	(Z)-3-hexenyl salicylate			
	65405-77-8 265-745-8 - 01-2119987320-37	Aquatic Acute 1; H400 Repr. 2; H361	< 0.50	wt%
11	cinnamaldehyde			
	104-55-2 203-213-9 606-155-00-6 -	Skin Sens. 1A; H317	< 0.10	wt%

Full text of H- and EUH-phrases, if not already mentioned in section 2.2: see section 16.

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	-	Eye Irrit. 2; H319: C >= 50%	-	-
11	-	Skin Sens. 1A; H317: C >= 0.01%	-	-

No	Route, target organ, concrete effect
10	H361 inhalational; -; -

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In case of persisting adverse effects, consult a physician.

After inhalation

Remove affected person from the immediate area. Ensure supply of fresh air. In case of persisting adverse effects consult a physician. If unconscious place in recovery position and seek medical advice.

After skin contact

In case of contact with skin wash off immediately with soap and water. Remove contaminated clothing. Consult a doctor if skin irritation persists.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes).

After ingestion

Rinse the mouth thoroughly with water. Do not induce vomiting. Never give anything by mouth to an unconscious person.

Trade name: LINARI-ICONA**Current version:** 3.0.0, Revision: 04.11.2025**Replaced version:** 2.1.1, Revision: 04.06.2024**Region:** GB**4.2 Most important symptoms and effects, both acute and delayed**

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures**5.1 Extinguishing media****Suitable extinguishing media**

Foam; Extinguishing powder; Carbon dioxide; Water spray jet

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixtureIn the event of fire, the following can be released: Carbon dioxide (CO₂); Carbon monoxide (CO); Formation of explosive mixtures with air is possible.**5.3 Advice for firefighters**

Use self-contained breathing apparatus. Wear protective clothing.

SECTION 6: Accidental release measures**6.1 Personal precautions, protective equipment and emergency procedures****For non-emergency personnel**

Exclude sources of ignition and ventilate the area. Avoid contact with skin, eyes and clothing. Refer to protective measures listed in sections 7 and 8.

For emergency responders

Personal protective equipment (PPE) - see section 8.

6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater. In case of entry into waterways, soil or drains, inform the responsible authorities.

6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g., sand, kieselguhr, universal binder). When collected, handle material as described under the section heading "Disposal considerations".

6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: Handling and storage**7.1 Precautions for safe handling****Advice on safe handling**

Provide good ventilation at the work area (local exhaust ventilation, if necessary).

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from food, drink and animal feeding stuffs. After worktime and during work intervals the affected skin areas must be thoroughly cleaned. Avoid contact with eyes and skin. Remove soiled or soaked clothing immediately. Provide eye wash fountain in work area. Have emergency shower available.

Advice on protection against fire and explosion

Keep away from sources of heat and ignition. Take precautionary measures against static charges.

7.2 Conditions for safe storage, including any incompatibilities**Technical measures and storage conditions**

Keep container tightly closed in a cool, well-ventilated place.

Requirements for storage rooms and vessels

Store product in closed containers. Always keep in containers of same material as the original.

Trade name: LINARI-ICONA

Current version: 3.0.0, Revision: 04.11.2025

Replaced version: 2.1.1, Revision: 04.06.2024

Region: GB

Incompatible products

Do not store together with fire promoting substances. Do not store together with: oxidizing agents; Acids

7.3 Specific end use(s)

No data available.

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Occupational exposure limit values**

No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
List of approved workplace exposure limits (WELs) / EH40			
Ethanol			
	WEL long-term (8-hr TWA reference period)	1920	mg/m ³ 1000 ppm

DNEL, DMEL and PNEC values**DNEL values (worker)**

No	Substance name	CAS / EC no		
	Route of exposure	Exposure time	Effect	Value
1	ethanol	64-17-5 200-578-6		
	dermal	Long term (chronic)	systemic	8238 mg/kg/day
	inhalative	Long term (chronic)	systemic	380 mg/m ³
2	Reaction Mass of 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	- 915-730-3		
	dermal	Long term (chronic)	systemic	28.7 mg/kg/day
	dermal	Long term (chronic)	local	648 µg/cm ²
	inhalative	Long term (chronic)	systemic	30 mg/m ³
3	[3R-(3alpha,3abeta,7beta,8alpha)]-1-(2,3,4,7,8,8a-hexahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulen-5-yl)ethan-1-one	32388-55-9 251-020-3		
	dermal	Long term (chronic)	systemic	0.333 mg/kg/day
	inhalative	Long term (chronic)	systemic	1.17 mg/m ³
4	(Z)-3-hexenyl salicylate	65405-77-8 265-745-8		
	dermal	Long term (chronic)	systemic	0.9 mg/kg bw/day
	inhalative	Long term (chronic)	systemic	1.59 mg/m ³

DNEL value (consumer)

No	Substance name	CAS / EC no		
	Route of exposure	Exposure time	Effect	Value
1	ethanol	64-17-5 200-578-6		
	inhalative	Long term (chronic)	systemic	114 mg/m ³
2	Reaction Mass of 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	- 915-730-3		
	oral	Long term (chronic)	systemic	3 mg/kg/day
	dermal	Long term (chronic)	systemic	17.2 mg/kg/day
	dermal	Long term (chronic)	local	380 µg/cm ²
	inhalative	Long term (chronic)	systemic	9 mg/m ³
3	[3R-(3alpha,3abeta,7beta,8alpha)]-1-(2,3,4,7,8,8a-hexahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulen-5-yl)ethan-1-one	32388-55-9 251-020-3		
	oral	Long term (chronic)	systemic	0.167 mg/kg/day
	dermal	Long term (chronic)	systemic	0.167 mg/kg/day
	inhalative	Long term (chronic)	systemic	0.29 mg/m ³

Trade name: LINARI-ICONA

Current version: 3.0.0, Revision: 04.11.2025

Replaced version: 2.1.1, Revision: 04.06.2024

Region: GB

4	(Z)-3-hexenyl salicylate			65405-77-8 265-745-8
	oral	Long term (chronic)	systemic	0.23 mg/kg bw/day
	dermal	Long term (chronic)	systemic	0.45 mg/kg bw/day
	inhalative	Long term (chronic)	systemic	0.39 mg/m ³

PNEC values

No	Substance name	Type	CAS / EC no
	ecological compartment		Value
1	ethanol		64-17-5 200-578-6
	water	fresh water	0.96 mg/L
	water	marine water	0.79 mg/L
	water	fresh water sediment	3.6 mg/kg dry weight
	water	marine water sediment	2.9 mg/L
	soil	-	0.63 mg/kg dry weight
	sewage treatment plant	-	580 mg/L
	secondary poisoning with reference to: food	-	0.38 g/kg
2	Reaction Mass of 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one		- 915-730-3
	water	fresh water	2.8 µg/L
	water	marine water	0.28 µg/L
	water	Aqua intermittent	13 µg/L
	water	fresh water sediment	3.73 µg/L
	water	marine water sediment	0.75 µg/L
	soil	-	2.7 mg/kg dry weight
	sewage treatment plant	-	10 mg/L
	secondary poisoning with reference to: food	-	10 mg/kg
3	[3R-(3alpha,3abeta,7beta,8alpha)]-1-(2,3,4,7,8,8a-hexahydro-3,6,8,8 tetramethyl-1H-3a,7-methanoazulen-5-yl)ethan-1-one		32388-55-9 251-020-3
	water	fresh water	1.74 µg/L
	water	marine water	0.174 µg/L
	water	Aqua intermittent	8.6 µg/L
	water	fresh water sediment	24.4 mg/kg dry weight
	water	marine water sediment	2.44 mg/kg dry weight
	soil	-	4.87 mg/kg dry weight
	sewage treatment plant	-	10 mg/L
4	(Z)-3-hexenyl salicylate		65405-77-8 265-745-8
	water	fresh water	0.61 µg/L
	water	marine water	0.061 µg/L
	water	fresh water sediment	0.11 mg/kg dry weight
	water	marine water sediment	0.011 mg/kg dry weight
	soil	-	0.022 mg/kg
	with reference to: dry weight		
	sewage treatment plant	-	10 mg/L
	secondary poisoning with reference to: food	-	40 mg/kg

Trade name: LINARI-ICONA

Current version: 3.0.0, Revision: 04.11.2025

Replaced version: 2.1.1, Revision: 04.06.2024

Region: GB

8.2 Exposure controls**Appropriate engineering controls**

Ensure adequate ventilation, local exhaust at the work station if necessary.

Personal protective equipment**Respiratory protection**

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. Combination filter (EN 14387), filter type A - brown; In case of aerosol, vapour and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Eye / face protection

Tightly fitting safety glasses (EN 166).

Hand protection

In case of intensive contact, wear protective gloves (EN 374). Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material	butyl rubber		
Material thickness		0.7	mm
Breakthrough time	>	480	min

Other

Normal chemical work clothing.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties**9.1 Information on basic physical and chemical properties**

State of aggregation	
liquid	
Form	
liquid	
Colour	
yellow	
Odour	
characteristic	
pH value	
Value	5.5
Boiling point / boiling range	
No data available	
Melting point/freezing point	
No data available	
Decomposition temperature	
No data available	
Flash point	
Value	18.5 °C
Ignition temperature	
No data available	
Flammability	
No data available	
Lower explosion limit	
No data available	

Trade name: LINARI-ICONA

Current version: 3.0.0, Revision: 04.11.2025

Replaced version: 2.1.1, Revision: 04.06.2024

Region: GB

Upper explosion limit			
No data available			
Vapour pressure			
No data available			
Relative vapour density			
No data available			
Relative density			
No data available			
Density			
No data available			
Solubility			
No data available			
Partition coefficient n-octanol/water (log value)			
No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
log Pow		-0.35	
Reference temperature		24	°C
with reference to		pH 7,4	
Method		OECD 107	
Source		ECHA	
2	Reaction Mass of 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one		915-730-3
log Pow		5.6	- 5.7
Reference temperature			30 °C
Method		OECD 117	
Source		ECHA	
3	[3R-(3alpha,3abeta,7beta,8alpha)]-1-(2,3,4,7,8,8a-hexahydro-3,6,8,8 tetramethyl-1H-3a,7-methanoazulen-5-yl)ethan-1-one	32388-55-9	251-020-3
log Pow		5.6	- 5.9
Method		OECD 117	
Source		ECHA	
4	(Z)-3-hexenyl salicylate	65405-77-8	265-745-8
log Pow			4.8
Reference temperature			25 °C
Method		OECD 117	
Source		ECHA	
Kinematic viscosity			
No data available			
Particle characteristics			
No data available			

9.2 Other information

Other information
No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

No data available.

10.2 Chemical stability

Trade name: LINARI-ICONA

Current version: 3.0.0, Revision: 04.11.2025

Replaced version: 2.1.1, Revision: 04.06.2024

Region: GB

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Dangerous reactions are not to be expected when handling product according to its intended use.

10.4 Conditions to avoid

Heat, naked flames and other ignition sources.

10.5 Incompatible materials

Reactions with strong oxidising agents. Reactions with strong acids.

10.6 Hazardous decomposition products

No data available.

SECTION 11: Toxicological information**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Acute oral toxicity			
No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
LD50		10470	mg/kg bodyweight
Species	rat		
with reference to	95% ethanol in water		
Method	OECD 401		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
2	Reaction Mass of 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	-	915-730-3
LD50	>	5000	mg/kg bodyweight
Species	rat		
Method	OECD 401		
Source	ECHA		
3	[3R-(3alpha,3abeta,7beta,8alpha)]-1-(2,3,4,7,8,8a-hexahydro-3,6,8,8 tetramethyl-1H-3a,7-methanoazulen-5-yl)ethan-1-one	32388-55-9	251-020-3
LD50		4500	mg/kg bodyweight
Species	rat		
Method	OECD 401		
Source	ECHA		
4	(Z)-3-hexenyl salicylate	65405-77-8	265-745-8
LD50		3031	mg/kg bodyweight
Species	rat (female)		
Method	EU Method B.1		
Source	ECHA		
Acute dermal toxicity			
No	Substance name	CAS no.	EC no.
1	Reaction Mass of 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	-	915-730-3
LD50	>	5000	mg/kg bodyweight
Species	rat		
Method	OECD 402		
Source	ECHA		

Trade name: LINARI-ICONA

Current version: 3.0.0, Revision: 04.11.2025

Replaced version: 2.1.1, Revision: 04.06.2024

Region: GB

2	[3R-(3alpha,3abeta,7beta,8alpha)]-1-(2,3,4,7,8,8a-hexahydro-3,6,8,8 tetramethyl-1H-3a,7-methanoazulen-5-yl)ethan-1-one	32388-55-9	251-020-3
LD50	>	5000	mg/kg bodyweight
Species	rabbit		
Method	OECD 402		
Source	ECHA		
3	(Z)-3-hexenyl salicylate	65405-77-8	265-745-8
LD50	>	2000	mg/kg bodyweight
Species	rabbit		
Method	EU Method B.3		
Source	ECHA		

Acute inhalational toxicity			
No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
LC50		124.7	mg/l
Duration of exposure		4	h
State of aggregation	Vapour		
Species	rat		
Method	OECD 403		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Skin corrosion/irritation			
No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
Species	rabbit		
Method	OECD 404		
Source	ECHA		
Evaluation	non-irritant		
Evaluation/classification	Based on available data, the classification criteria are not met.		

2	Reaction Mass of 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	-	915-730-3
Method	OECD 439		
Source	ECHA		
Evaluation	irritant		
Evaluation/classification	Based on available data, the classification criteria are met.		
3	[3R-(3alpha,3abeta,7beta,8alpha)]-1-(2,3,4,7,8,8a-hexahydro-3,6,8,8 tetramethyl-1H-3a,7-methanoazulen-5-yl)ethan-1-one	32388-55-9	251-020-3
Method	OECD 439		
Source	ECHA		
Evaluation	non-irritant		

Serious eye damage/irritation			
No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
Species	rabbit		
Method	OECD 405		
Source	ECHA		
Evaluation	irritant		
Evaluation/classification	Based on available data, the classification criteria are met.		
2	[3R-(3alpha,3abeta,7beta,8alpha)]-1-(2,3,4,7,8,8a-hexahydro-3,6,8,8 tetramethyl-1H-3a,7-methanoazulen-5-yl)ethan-1-one	32388-55-9	251-020-3
Species	rabbit		
Method	OECD 405		
Source	ECHA		

Trade name: LINARI-ICONA

Current version: 3.0.0, Revision: 04.11.2025

Replaced version: 2.1.1, Revision: 04.06.2024

Region: GB

Evaluation	non-irritant
3	(Z)-3-hexenyl salicylate 65405-77-8 265-745-8
Species	rabbit
Method	EU B.5
Source	ECHA
Evaluation	non-irritant

Respiratory or skin sensitisation

No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
Route of exposure	respiratory tract		
Source	ECHA		
Evaluation	non-sensitizing		
Evaluation/classification	Based on available data, the classification criteria are not met.		
Route of exposure	Skin		
Species	mouse		
Source	ECHA		
Evaluation	non-sensitizing		
Evaluation/classification	Based on available data, the classification criteria are not met.		
2	Reaction Mass of 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	-	915-730-3
Route of exposure	Skin		
Species	mouse		
Method	OECD 429		
Source	ECHA		
Evaluation	sensitizing		
Evaluation/classification	Based on available data, the classification criteria are met.		
3	[3R-(3alpha,3abeta,7beta,8alpha)]-1-(2,3,4,7,8,8a-hexahydro-3,6,8,8 tetramethyl-1H-3a,7-methanoazulen-5-yl)ethan-1-one	32388-55-9	251-020-3
Route of exposure	Skin		
Species	mouse		
Method	OECD 429		
Source	ECHA		
Evaluation	sensitizing		
4	(Z)-3-hexenyl salicylate	65405-77-8	265-745-8
Route of exposure	Skin		
Species	guinea pig		
Method	OECD 406		
Source	ECHA		
Evaluation	non-sensitizing		

Germ cell mutagenicity

No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
Type of examination	in vitro gene mutation study in bacteria		
Species	Salmonella typhimurium		
Method	OECD 471		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
Type of examination	in vitro gene mutation study in mammalian cells		
Species	mouse lymphoma cells		
Method	OECD 476		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
Type of examination	Genotoxicity in vivo		
Species	mouse		
Method	OECD 478		

Trade name: LINARI-ICONA

Current version: 3.0.0, Revision: 04.11.2025

Replaced version: 2.1.1, Revision: 04.06.2024

Region: GB

Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.
2	Reaction Mass of 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one - 915-730-3
Type of examination	In vitro Mammalian Chromosomal Aberration Test
Species	Human Lymphocyte
Method	OECD 473
Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.
Type of examination	in vitro gene mutation study in mammalian cells
Species	Mouse lymphoma cells
Method	OECD 476
Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.
Type of examination	in vitro gene mutation study in bacteria
Species	Salmonella typhimurium / Escherichia coli
Method	OECD 471
Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.
3	[3R-(3alpha,3abeta,7beta,8alpha)]-1-(2,3,4,7,8,8a-hexahydro-3,6,8,8 tetramethyl-1H-3a,7-methanoazulen-5-yl)ethan-1-one 32388-55-9 251-020-3
Method	OECD 471
Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.
4	(Z)-3-hexenyl salicylate 65405-77-8 265-745-8
Method	OECD 476
Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.

Reproduction toxicity			
No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
Route of exposure		oral	
NOAEL			
Type of examination	2 generation study		
Species	mouse		
Method	OECD 416		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
Route of exposure		inhalational	
NOAEL		>=	20000 ppm
Type of examination	Prenatal Developmental Toxicity Study		
Species	rat		
Method	OECD 414		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
2	Reaction Mass of 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one - 915-730-3		
Type of examination	Prenatal Developmental Toxicity Study		
Species	rat		
Method	OECD 414		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Trade name: LINARI-ICONA

Current version: 3.0.0, Revision: 04.11.2025

Replaced version: 2.1.1, Revision: 04.06.2024

Region: GB

Type of examination	Toxicity study
Species	rat
Method	OECD 443
Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.

Carcinogenicity			
No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	

STOT - single exposure	
No data available	

STOT - repeated exposure			
No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
Route of exposure		oral	
Duration of exposure		14	week/s
Species		rat	
Target organ		kidneys	
Method		OECD 408	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	

2	Reaction Mass of 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one		915-730-3
---	--	--	-----------

Route of exposure		oral	
Method		OECD 408	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	

Route of exposure		dermal	
Method		OECD 411	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	

3	[3R-(3alpha,3abeta,7beta,8alpha)]-1-(2,3,4,7,8,8a-hexahydro-3,6,8,8 tetramethyl-1H-3a,7-methanoazulen-5-yl)ethan-1-one	32388-55-9	251-020-3
---	--	------------	-----------

Method		OECD 411	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	

4	(Z)-3-hexenyl salicylate	65405-77-8	265-745-8
Route of exposure		oral	
Species		rat	
Method		OECD 422	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	

Aspiration hazard	
No data available	

Endocrine disrupting properties	
No data available	

11.2 Information on other hazards

Other information

No data available.

SECTION 12: Ecological information

Trade name: LINARI-ICONA

Current version: 3.0.0, Revision: 04.11.2025

Replaced version: 2.1.1, Revision: 04.06.2024

Region: GB

12.1 Toxicity

Toxicity to fish (acute)			
No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
LC50		14200	mg/l
Duration of exposure		96	h
Species	Pimephales promelas		
Method	EPA		
Source	ECHA		
2	Reaction Mass of 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	-	915-730-3
LC50		1.3	mg/l
Duration of exposure		96	h
Species	Lepomis macrochirus		
Method	OECD 203		
Source	ECHA		
3	Cyclopropanemethanol, 1-Methyl-2-[[1,2,2-trimethylbicyclohex-3yl]methyl]-	198404-98-7	427-900-1
LC50		1	mg/l
Duration of exposure		96	h
Species	Cyprinus carpio		
Source	ECHA		
4	[3R-(3alpha,3abeta,7beta,8alpha)]-1-(2,3,4,7,8,8a-hexahydro-3,6,8,8 tetramethyl-1H-3a,7-methanoazulen-5-yl)ethan-1-one	32388-55-9	251-020-3
LC50		3.0	mg/l
Duration of exposure		96	h
Species	Pimephales promelas		
Method	OECD 203		
Source	ECHA		
5	(Z)-3-hexenyl salicylate	65405-77-8	265-745-8
LC50		>	0.65
Duration of exposure		96	h
Species	Oncorhynchus mykiss		
Method	OECD 203		
Source	ECHA		

Toxicity to fish (chronic)			
No	Substance name	CAS no.	EC no.
1	Reaction Mass of 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	-	915-730-3
NOEC		0.16	mg/l
Species	Danio rerio		
Method	OECD 210		
Source	ECHA		
2	Cyclopropanemethanol, 1-Methyl-2-[[1,2,2-trimethylbicyclohex-3yl]methyl]-	198404-98-7	427-900-1
NOEC		0.055	mg/l
Species	fish		
Method	OECD 210		
Source	ECHA		

Toxicity to Daphnia (acute)			
-----------------------------	--	--	--

Trade name: LINARI-ICONA

Current version: 3.0.0, Revision: 04.11.2025

Replaced version: 2.1.1, Revision: 04.06.2024

Region: GB

No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
EC50		5012	mg/l
Duration of exposure		48	h
Species	Ceriodaphnia dubia		
Method	ASTM Standard E 729-80		
Source	ECHA		
2	Reaction Mass of 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one		915-730-3
EC50		1.38	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Method	OECD 202		
Source	ECHA		
3	Cyclopropanemethanol, 1-Methyl-2-[[1,2,2-trimethylbicyclohex-3yl]methyl]-	198404-98-7	427-900-1
EC50		0.38	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Source	ECHA		
4	[3R-(3alpha,3abeta,7beta,8alpha)]-1-(2,3,4,7,8,8a-hexahydro-3,6,8,8 tetramethyl-1H-3a,7-methanoazulen-5-yl)ethan-1-one	32388-55-9	251-020-3
EC50		0.86	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Method	OECD 202		
Source	ECHA		
5	(Z)-3-hexenyl salicylate	65405-77-8	265-745-8
EC50		0.6	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Method	OECD 202		
Source	ECHA		

Toxicity to Daphnia (chronic)

No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
NOEC		9.6	mg/l
Duration of exposure		9	day(s)
Species	Daphnia magna		
Source	ECHA		
2	Reaction Mass of 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one		915-730-3
NOEC		0.028	mg/l
Species	Daphnia magna		
Method	OECD 211		
Source	ECHA		
3	Cyclopropanemethanol, 1-Methyl-2-[[1,2,2-trimethylbicyclohex-3yl]methyl]-	198404-98-7	427-900-1
NOEC		0.031	mg/l
Duration of exposure		21	day(s)
Species	Daphnia magna		
Method	OECD 211		

Trade name: LINARI-ICONA

Current version: 3.0.0, Revision: 04.11.2025

Replaced version: 2.1.1, Revision: 04.06.2024

Region: GB

Source	ECHA
4	[3R-(3alpha,3abeta,7beta,8alpha)]-1-(2,3,4,7,8,8a-hexahydro-3,6,8,8 tetramethyl-1H-3a,7-methanoazulen-5-yl)ethan-1-one
NOEC	0.087 mg/l
Duration of exposure	21 day(s)
Species	Daphnia magna
Method	OECD 211
Source	ECHA

Toxicity to algae (acute)			
No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
EC50		275	mg/l
Duration of exposure		72	h
Species	Chlorella vulgaris		
Method	OECD 201		
Source	ECHA		
2	Reaction Mass of 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	-	915-730-3
EC50		>	2.6 mg/l
Duration of exposure		72	h
Species	Scenedesmus subspicatus		
Method	OECD 201		
Source	ECHA		
3	[3R-(3alpha,3abeta,7beta,8alpha)]-1-(2,3,4,7,8,8a-hexahydro-3,6,8,8 tetramethyl-1H-3a,7-methanoazulen-5-yl)ethan-1-one	32388-55-9	251-020-3
EC50		2.8	mg/l
Duration of exposure		96	h
Species	Pseudokirchneriella subcapitata		
Method	OECD 201		
Source	ECHA		
4	(Z)-3-hexenyl salicylate	65405-77-8	265-745-8
EC50		0.61	mg/l
Duration of exposure		72	h
Species	Desmodesmus subspicatus		
Method	OECD 201		
Source	ECHA		

Toxicity to algae (chronic)			
No data available			

Bacteria toxicity			
No	Substance name	CAS no.	EC no.
1	Reaction Mass of 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	-	915-730-3
EC10		100	mg/l
Species	activated sludge		
Method	OECD 301 F		
Source	ECHA		

12.2 Persistence and degradability

Biodegradability			
No	Substance name	CAS no.	EC no.

Trade name: LINARI-ICONA

Current version: 3.0.0, Revision: 04.11.2025

Replaced version: 2.1.1, Revision: 04.06.2024

Region: GB

1	ethanol	64-17-5	200-578-6
Type	aerobic biodegradation		
Value	appr.	84	%
Duration		20	day(s)
Source	ECHA		
Evaluation	readily biodegradable		
2	Reaction Mass of 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	-	915-730-3
Type	aerobic biodegradation		
Value		11	%
Duration		28	d
Method	OECD 301 C		
Source	ECHA		
Evaluation	not readily biodegradable		
3	[3R-(3alpha,3abeta,7beta,8alpha)]-1-(2,3,4,7,8,8a-hexahydro-3,6,8,8 tetramethyl-1H-3a,7-methanoazulen-5-yl)ethan-1-one	32388-55-9	251-020-3
Value		36	%
Duration		28	day(s)
Method	OECD 301 F		
Source	ECHA		
Evaluation	not readily biodegradable		
4	(Z)-3-hexenyl salicylate	65405-77-8	265-745-8
Type	aerobic biodegradation		
Value		89	%
Duration		28	day(s)
Method	OECD 301 F		
Source	ECHA		
Evaluation	readily biodegradable		

12.3 Bioaccumulative potential

Bioconcentration factor (BCF)			
No	Substance name	CAS no.	EC no.
1	Reaction Mass of 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	-	915-730-3
BCF	appr.		600
Species	Lepomis macrochirus		
Method	OECD 305		
Source	ECHA		
2	[3R-(3alpha,3abeta,7beta,8alpha)]-1-(2,3,4,7,8,8a-hexahydro-3,6,8,8 tetramethyl-1H-3a,7-methanoazulen-5-yl)ethan-1-one	32388-55-9	251-020-3
BCF			3920
Species	Oncorhynchus mykiss		
Method	OECD 305		
Source	ECHA		
Partition coefficient n-octanol/water (log value)			
No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
log Pow			-0.35
Reference temperature			24 °C
with reference to	pH 7,4		
Method	OECD 107		

Trade name: LINARI-ICONA

Current version: 3.0.0, Revision: 04.11.2025

Replaced version: 2.1.1, Revision: 04.06.2024

Region: GB

Source	ECHA	
2	Reaction Mass of 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	915-730-3
log Pow	5.6 - 5.7	
Reference temperature	30 °C	
Method	OECD 117	
Source	ECHA	
3	[3R-(3alpha,3abeta,7beta,8alpha)]-1-(2,3,4,7,8,8a-hexahydro-3,6,8,8 tetramethyl-1H-3a,7-methanoazulen-5-yl)ethan-1-one	32388-55-9 251-020-3
log Pow	5.6 - 5.9	
Method	OECD 117	
Source	ECHA	
4	(Z)-3-hexenyl salicylate	65405-77-8 265-745-8
log Pow	4.8	
Reference temperature	25 °C	
Method	OECD 117	
Source	ECHA	

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	
Product Name	
LINARI-ICONA	
PBT assessment	The components of this product are not considered to be PBT (PBT = persistent, bioaccumulative, toxic) according to Annex XIII of Regulation (EC) 1907/2006 (REACH).
vPvB assessment	The components of this product are not considered to be vPvB (vPvB = very persistent, very bioaccumulative) according to Annex XIII of Regulation (EC) 1907/2006 (REACH).

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Product**

In accordance with regulations for special waste, must be taken to a special waste disposal.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information**14.1 UN number or ID number**

ADR/RID/ADN	UN1266
IMDG	UN1266
ICAO-TI / IATA	UN1266

14.2 UN proper shipping name

ADR/RID/ADN	PERFUMERY PRODUCTS
-------------	--------------------

Trade name: LINARI-ICONA**Current version:** 3.0.0, Revision: 04.11.2025**Replaced version:** 2.1.1, Revision: 04.06.2024**Region:** GB

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information**Sources of key data used to compile the data sheet:**

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H361	Suspected of damaging fertility or the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.
Prod-ID 724532