

**Trade name:** LINARI-SENSO**Current version:** 5.0.0, Revision: 22.01.2026**Replaced version:** 4.0.1, Revision: 16.12.2022**Region:** GB**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier****Trade name****LINARI-SENSO****1.2 Relevant identified uses of the substance or mixture and uses advised against****Relevant identified uses of the substance or mixture**

Fragrances

**Uses advised against**

No data available.

**1.3 Details of the supplier of the safety data sheet****Address**LINARI GmbH  
Jaffestrasse 12 | DOCK 2  
21109 Hamburg  
Germany

Telephone no. +49 40-7566850

Fax no. +49 40-7534505

**Advice on Safety Data Sheet**

sdb\_info@umco.de

**1.4 Emergency telephone number**

Emergency CONTACT (24-Hour-Number) international:

GBK GmbH - Global Regulatory Compliance +49 (0)6132-84463

**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture****Classification in accordance with Regulation (EC) No 1272/2008 (CLP)**

Aquatic Chronic 3; H412

Eye Irrit. 2; H319

Flam. Liq. 2; H225

**Classification information**

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

**2.2 Label elements****Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)****Hazard pictograms**

GHS02



GHS07

**Signal word**

Danger

**Hazard statement(s)**

H225

Highly flammable liquid and vapour.

H319

Causes serious eye irritation.

H412

Harmful to aquatic life with long lasting effects.

Trade name: LINARI-SENSO

Current version: 5.0.0, Revision: 22.01.2026

Replaced version: 4.0.1, Revision: 16.12.2022

Region: GB

**Hazard statements (EU)**

EUH208

Contains alpha-methyl-1,3-benzodioxole-5-propionaldehyde, linalool, 3,7-dimethyloctan-3-ol, linalyl acetate, 3-(p-cumenyl)-2-methylpropionaldehyde, alpha-hexylcinnamaldehyde, 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8-tetramethyl-2-naphthyl)ethan-1 one, [3R-(3alpha,3abeta,7beta,8alpha)]-1-(2,3,4,7,8,8a-hexahydro-3,6,8,8 tetramethyl-1H-3a,7-methanoazulen-5-yl)ethan-1-one, (R)-p-mentha-1,8-diene, 1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one, [3R-(3alpha,3beta,6alpha,7beta,8alpha)]-octahydro-6-methoxy-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene, 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one, Benzyl salicylate. May produce an allergic reaction.

**Precautionary statement(s)**

P101

If medical advice is needed, have product container or label at hand.

P102

Keep out of reach of children.

P210

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P501

Dispose of contents/container to a facility in accordance with local and national regulations.

**2.3 Other hazards**

This product does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**PBT assessment**

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.

**vPvB assessment**

According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

**SECTION 3: Composition/information on ingredients****3.1 Substances**

Not applicable. The product is not a substance.

**3.2 Mixtures****Hazardous ingredients**

No	Substance name	Classification (EC) 1272/2008 (CLP)	Additional information Concentration	%
1	<b>ethanol</b>			
	64-17-5 200-578-6 603-002-00-5 01-2119457610-43	Flam. Liq. 2; H225 Eye Irrit. 2; H319	>= 70.00 - < 90.00	wt%
2	<b>alpha-methyl-1,3-benzodioxole-5-propionaldehyde</b>			
	1205-17-0 214-881-6 - -	Aquatic Chronic 2; H411 Skin Sens. 1B; H317 Repr. 2; H361	< 2.50	wt%
3	<b>linalool</b>			
	78-70-6 201-134-4 603-235-00-2 -	Skin Irrit. 2; H315 Skin Sens. 1B; H317 Eye Irrit. 2; H319	< 2.50	wt%
4	<b>3,7-dimethyloctan-3-ol</b>			
	78-69-3 201-133-9 - 01-2119454788-21	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1B; H317	< 2.50	wt%
5	<b>linalyl acetate</b>			

Trade name: LINARI-SENSO

Current version: 5.0.0, Revision: 22.01.2026

Replaced version: 4.0.1, Revision: 16.12.2022

Region: GB

	115-95-7 204-116-4 - -	Skin Irrit. 2; H315 Eye Irrit. 2; H319 Skin Sens. 1B; H317	< 2.50	wt%
6	<b>3-(p-cumenyl)-2-methylpropionaldehyde</b>			
	6658-48-6 229-695-0 - 01-2120770116-58	Skin Irrit. 2; H315 Skin Sens. 1B; H317	< 2.50	wt%
7	<b>alpha-hexylcinnamaldehyde</b>			
	101-86-0 202-983-3 - -	Aquatic Acute 1; H400 Aquatic Chronic 2; H411 Skin Sens. 1B; H317	< 0.50	wt%
8	<b>1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one</b>			
	54464-57-2 259-174-3 - -	Aquatic Chronic 1; H410 Skin Sens. 1; H317 Skin Irrit. 2; H315	< 0.50	wt%
9	<b>[3R-(3alpha,3beta,7beta,8alpha)]-1-(2,3,4,7,8,8a-hexahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulen-5-yl)ethan-1-one</b>			
	32388-55-9 251-020-3 - -	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 Skin Sens. 1; H317	< 0.50	wt%
10	<b>(R)-p-mentha-1,8-diene</b>			
	5989-27-5 227-813-5 601-096-00-2 -	Flam. Liq. 3; H226 Asp. Tox. 1; H304 Skin Irrit. 2; H315 Skin Sens. 1B; H317 Aquatic Acute 1; H400 Aquatic Chronic 3; H412	< 0.50	wt%
11	<b>1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one</b>			
	68155-67-9 268-979-9 - -	Aquatic Chronic 1; H410 Skin Irrit. 2; H315 Skin Sens. 1B; H317	< 0.50	wt%
12	<b>3-(5,5,6-trimethylbicyclo[2.2.1]hept-2-yl)cyclohexan-1-ol</b>			
	3407-42-9 222-294-1 - 01-2119979583-21	Eye Irrit. 2; H319 Repr. 2; H361 Aquatic Chronic 2; H411	< 0.50	wt%
13	<b>[3R-(3alpha,3beta,6alpha,7beta,8alpha)]-octahydro-6-methoxy-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene</b>			
	67874-81-1 267-510-5 - -	Skin Sens. 1B; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410	< 0.50	wt%
14	<b>1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one</b>			
	68155-66-8 268-978-3 - -	Aquatic Chronic 1; H410 Skin Irrit. 2; H315 Skin Sens. 1B; H317	< 0.50	wt%
15	<b>Benzyl salicylate</b>			
	118-58-1 204-262-9 607-754-00-5 01-2119969442-31	Aquatic Chronic 3; H412 Skin Sens. 1B; H317 Eye Irrit. 2; H319	< 0.50	wt%
16	<b>(Z)-3-hexenyl salicylate</b>			

Trade name: LINARI-SENSO

Current version: 5.0.0, Revision: 22.01.2026

Replaced version: 4.0.1, Revision: 16.12.2022

Region: GB

	65405-77-8 265-745-8 - 01-2119987320-37	Aquatic Acute 1; H400	< 0.50	wt%
17	<b>A mixture of cis- and trans-cyclohexadec-8-en-1-one</b>			
	3100-36-5 401-700-2 606-046-00-3 01-0000015154-78	Aquatic Acute 1; H400 Aquatic Chronic 1; H410	< 0.50	wt%

Full text of H- and EUH-phrases, if not already mentioned in section 2.2: see section 16.

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	-	Eye Irrit. 2; H319: C >= 50%	-	-
10	-	-	M = 1	-
16	-	-	M = 1	-

No	Route, target organ, concrete effect
2	H361 inhalational; -; -

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General information

In case of persisting adverse effects, consult a physician.

#### After inhalation

Remove affected person from the immediate area. Ensure supply of fresh air. If unconscious place in recovery position and seek medical advice.

#### After skin contact

In case of contact with skin wash off immediately with soap and water. Remove contaminated clothing. Consult a doctor if skin irritation persists.

#### After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes).

#### After ingestion

Rinse the mouth thoroughly with water. Do not induce vomiting. If swallowed drink plenty of water and seek medical treatment. Never give anything by mouth to an unconscious person.

### 4.2 Most important symptoms and effects, both acute and delayed

No data available.

### 4.3 Indication of any immediate medical attention and special treatment needed

No data available.

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### Suitable extinguishing media

Foam; Extinguishing powder; Carbon dioxide; Water spray jet

#### Unsuitable extinguishing media

High power water jet

### 5.2 Special hazards arising from the substance or mixture

Formation of explosive mixtures with air is possible. Vapours are heavier than air and may spread near ground to sources of ignition. May travel considerable distance to source of ignition and flash back. In the event of fire, the following can be released: Carbon dioxide (CO<sub>2</sub>); Carbon monoxide (CO); Toxic pyrolysis products

### 5.3 Advice for firefighters

Trade name: LINARI-SENSO

Current version: 5.0.0, Revision: 22.01.2026

Replaced version: 4.0.1, Revision: 16.12.2022

Region: GB

Use self-contained breathing apparatus. Wear protective clothing. Cool endangered containers with water spray jet. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

#### For non-emergency personnel

Exclude sources of ignition and ventilate the area. Avoid contact with skin, eyes and clothing. Refer to protective measures listed in sections 7 and 8.

#### For emergency responders

Personal protective equipment (PPE) - see section 8.

### 6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater. In case of entry into waterways, soil or drains, inform the responsible authorities.

### 6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

### 6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

#### Advice on safe handling

Provide good ventilation at the work area (local exhaust ventilation, if necessary).

#### General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from food, drink and animal feeding stuffs. After worktime and during work intervals the affected skin areas must be thoroughly cleaned. Avoid contact with eyes and skin. Remove soiled or soaked clothing immediately. Provide eye wash fountain in work area. Have emergency shower available.

#### Advice on protection against fire and explosion

Keep away from sources of heat and ignition. Take precautionary measures against static charges.

### 7.2 Conditions for safe storage, including any incompatibilities

#### Technical measures and storage conditions

Keep container tightly closed in a cool, well-ventilated place.

#### Requirements for storage rooms and vessels

Store product in closed containers. Always keep in containers of same material as the original.

#### Incompatible products

Do not store together with fire promoting substances.

### 7.3 Specific end use(s)

No data available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational exposure limit values

No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
List of approved workplace exposure limits (WELs) / EH40			
Ethanol			
	WEL long-term (8-hr TWA reference period)	1920	mg/m <sup>3</sup> 1000 ppm

#### DNEL, DMEL and PNEC values

Trade name: LINARI-SENSO

Current version: 5.0.0, Revision: 22.01.2026

Replaced version: 4.0.1, Revision: 16.12.2022

Region: GB

## DNEL values (worker)

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	ethanol			<b>64-17-5</b> <b>200-578-6</b>	
	dermal	Long term (chronic)	systemic	8238	mg/kg/day
	inhalative	Long term (chronic)	systemic	380	mg/m <sup>3</sup>
2	3,7-dimethyloctan-3-ol			<b>78-69-3</b> <b>201-133-9</b>	
	dermal	Long term (chronic)	systemic	3.16	mg/kg/day
	dermal	Long term (chronic)	local	190	µg/cm <sup>2</sup>
	inhalative	Long term (chronic)	systemic	11.4	mg/m <sup>3</sup>
3	3-(p-cumenyl)-2-methylpropionaldehyde			<b>6658-48-6</b> <b>229-695-0</b>	
	dermal	Long term (chronic)	systemic	0.75	mg/kg bw/day
	inhalative	Long term (chronic)	systemic	0.529	mg/m <sup>3</sup>
4	3-(5,5,6-trimethylbicyclo[2.2.1]hept-2-yl)cyclohexan-1-ol			<b>3407-42-9</b> <b>222-294-1</b>	
	dermal	Long term (chronic)	systemic	3.75	mg/kg bw/day
	inhalative	Long term (chronic)	systemic	13.2	mg/m <sup>3</sup>
5	Benzyl salicylate			<b>118-58-1</b> <b>204-262-9</b>	
	dermal	Long term (chronic)	systemic	2.21	mg/kg/day
	inhalative	Long term (chronic)	systemic	7.8	mg/m <sup>3</sup>
6	(Z)-3-hexenyl salicylate			<b>65405-77-8</b> <b>265-745-8</b>	
	dermal	Long term (chronic)	systemic	0.9	mg/kg bw/day
	inhalative	Long term (chronic)	systemic	1.59	mg/m <sup>3</sup>

## DNEL value (consumer)

No	Substance name			CAS / EC no	
	Route of exposure	Exposure time	Effect	Value	
1	ethanol			<b>64-17-5</b> <b>200-578-6</b>	
	inhalative	Long term (chronic)	systemic	114	mg/m <sup>3</sup>
2	3,7-dimethyloctan-3-ol			<b>78-69-3</b> <b>201-133-9</b>	
	oral	Long term (chronic)	systemic	1.58	mg/kg/day
	dermal	Long term (chronic)	systemic	1.58	mg/kg/day
	dermal	Long term (chronic)	local	190	µg/cm <sup>2</sup>
	inhalative	Long term (chronic)	systemic	2.75	mg/m <sup>3</sup>
3	3-(p-cumenyl)-2-methylpropionaldehyde			<b>6658-48-6</b> <b>229-695-0</b>	
	oral	Long term (chronic)	systemic	8.93	µg/kg bw/day
	dermal	Long term (chronic)	systemic	89.3	µg/kg bw/day
	inhalative	Long term (chronic)	systemic	31.1	µg/m <sup>3</sup>
4	3-(5,5,6-trimethylbicyclo[2.2.1]hept-2-yl)cyclohexan-1-ol			<b>3407-42-9</b> <b>222-294-1</b>	
	oral	Long term (chronic)	systemic	1.88	mg/kg bw/day
	dermal	Long term (chronic)	systemic	1.88	mg/kg bw/day
	inhalative	Long term (chronic)	systemic	3.26	mg/m <sup>3</sup>
5	Benzyl salicylate			<b>118-58-1</b> <b>204-262-9</b>	
	oral	Long term (chronic)	systemic	0.79	mg/kg/day
	dermal	Long term (chronic)	systemic	0.79	mg/kg/day
	inhalative	Long term (chronic)	systemic	1.37	mg/m <sup>3</sup>
6	(Z)-3-hexenyl salicylate			<b>65405-77-8</b> <b>265-745-8</b>	
	oral	Long term (chronic)	systemic	0.23	mg/kg bw/day
	dermal	Long term (chronic)	systemic	0.45	mg/kg bw/day
	inhalative	Long term (chronic)	systemic	0.39	mg/m <sup>3</sup>

Trade name: LINARI-SENSO

Current version: 5.0.0, Revision: 22.01.2026

Replaced version: 4.0.1, Revision: 16.12.2022

Region: GB

## PNEC values

No	Substance name		CAS / EC no	
	ecological compartment	Type	Value	
1	<b>ethanol</b>		<b>64-17-5</b> <b>200-578-6</b>	
	water	fresh water	0.96	mg/L
	water	marine water	0.79	mg/L
	water	fresh water sediment	3.6	mg/kg dry weight
	water	marine water sediment	2.9	mg/L
	soil	-	0.63	mg/kg dry weight
	sewage treatment plant	-	580	mg/L
	secondary poisoning with reference to: food	-	0.38	g/kg
2	<b>3,7-dimethyloctan-3-ol</b>		<b>78-69-3</b> <b>201-133-9</b>	
	water	fresh water	0.009	mg/L
	water	marine water	0.001	mg/L
	water	Aqua intermittent	0.089	mg/L
	water	marine water sediment	0.008	mg/kg dry weight
	water	fresh water sediment	0.082	mg/kg dry weight
	soil	-	0.011	mg/kg dry weight
	sewage treatment plant	-	450	mg/L
3	<b>3-(p-cumenyl)-2-methylpropionaldehyde</b>		<b>6658-48-6</b> <b>229-695-0</b>	
	water	fresh water	1.44	µg/L
	water	marine water	0.144	µg/L
	soil	-	45.8	µg/kg dry weight
	sewage treatment plant	-	10	mg/L
4	<b>3-(5,5,6-trimethylbicyclo[2.2.1]hept-2-yl)cyclohexan-1-ol</b>		<b>3407-42-9</b> <b>222-294-1</b>	
	water	fresh water	2.96	µg/L
	water	fresh water sediment	72.5	µg/kg dry weight
	water	marine water	0.296	µg/L
	water	marine water sediment	7.25	µg/kg dry weight
	soil	-	12.8	µg/kg dry weight
	sewage treatment plant	-	0.1	mg/L
5	<b>Benzyl salicylate</b>		<b>118-58-1</b> <b>204-262-9</b>	
	water	fresh water	0.001	mg/L
	water	marine water	0	mg/L
	water	fresh water sediment	0.583	mg/kg dry weight
	water	marine water sediment	0.058	mg/kg dry weight
	soil	-	1.41	mg/kg dry weight
	sewage treatment plant	-	10	mg/L
	secondary poisoning	-	52.7	mg/kg food
6	<b>(Z)-3-hexenyl salicylate</b>		<b>65405-77-8</b> <b>265-745-8</b>	
	water	fresh water	0.61	µg/L

**Trade name:** LINARI-SENSO**Current version:** 5.0.0, Revision: 22.01.2026**Replaced version:** 4.0.1, Revision: 16.12.2022**Region:** GB

water	marine water	0.061	µg/L
water	fresh water sediment	0.11	mg/kg dry weight
water	marine water sediment	0.011	mg/kg dry weight
soil	-	0.022	mg/kg
with reference to: dry weight			
sewage treatment plant	-	10	mg/L
secondary poisoning	-	40	mg/kg
with reference to: food			

## 8.2 Exposure controls

### Appropriate engineering controls

Ensure adequate ventilation, local exhaust at the work station if necessary.

### Personal protective equipment

#### Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. Combination filter (EN 14387), filter type A - brown; In case of aerosol, vapour and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

#### Eye / face protection

Tightly fitting safety glasses (EN 166).

#### Hand protection

In case of intensive contact, wear protective gloves (EN 374). Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material	butyl rubber		
Material thickness		0.5	mm
Breakthrough time	>	480	min

#### Other

Normal chemical work clothing.

#### Environmental exposure controls

No data available.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

<b>State of aggregation</b>	
liquid	
<b>Form</b>	
liquid	
<b>Colour</b>	
colourless	
<b>Odour</b>	
perfumed-like	
<b>pH value</b>	
Value	6.1
<b>Boiling point / boiling range</b>	
Value	78 °C
Reference substance	Ethanol
<b>Melting point/freezing point</b>	
Value	-114 °C
Reference substance	Ethanol

Trade name: LINARI-SENSO

Current version: 5.0.0, Revision: 22.01.2026

Replaced version: 4.0.1, Revision: 16.12.2022

Region: GB

<b>Decomposition temperature</b>			
No data available			
<b>Flash point</b>			
Value	19 °C		
Method	Pensky-Martens closed cup		
<b>Ignition temperature</b>			
No data available			
<b>Auto-ignition temperature</b>			
Value	365 °C		
Reference substance	Ethanol		
<b>Explosive properties</b>			
The product is not explosive. Formation of explosive/highly flammable air-vapour mixtures is possible during/after use.			
<b>Flammability</b>			
No data available			
<b>Lower explosion limit</b>			
Value	3.5 % vol		
Reference substance	Ethanol		
<b>Upper explosion limit</b>			
Value	15 % vol		
Reference substance	Ethanol		
<b>Vapour pressure</b>			
Value	57	mbar	
Reference temperature	20	°C	
Reference substance	Ethanol		
<b>Relative vapour density</b>			
Comments	Air = 1		
Comments	Heavier than air.		
<b>Relative density</b>			
No data available			
<b>Density</b>			
No data available			
<b>Solubility</b>			
No data available			
<b>Partition coefficient n-octanol/water (log value)</b>			
No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
	log Pow	-0.35	
	Reference temperature	24 °C	
	with reference to	pH 7,4	
	Method	OECD 107	
	Source	ECHA	
2	3,7-dimethyloctan-3-ol	78-69-3	201-133-9
	log Pow	3.3	
	Reference temperature	20 °C	
	Method	OECD 107	
	Source	ECHA	
3	3-(p-cumenyl)-2-methylpropionaldehyde	6658-48-6	229-695-0
	log Pow	3.8	
	Reference temperature	35 °C	
	with reference to	pH 7	
	Method	OECD 117	
	Source	ECHA	

Trade name: LINARI-SENSO

Current version: 5.0.0, Revision: 22.01.2026

Replaced version: 4.0.1, Revision: 16.12.2022

Region: GB

<b>4</b>	<b>3-(5,5,6-trimethylbicyclo[2.2.1]hept-2-yl)cyclohexan-1-ol</b>	<b>3407-42-9</b>	<b>222-294-1</b>
log Pow		4.64	
Reference temperature		25	°C
Method	OECD 117		
Source	ECHA		
<b>5</b>	<b>Benzyl salicylate</b>	<b>118-58-1</b>	<b>204-262-9</b>
log Pow		4.0	
Reference temperature		35	°C
Method	OECD 117		
Source	ECHA		
<b>6</b>	<b>(Z)-3-hexenyl salicylate</b>	<b>65405-77-8</b>	<b>265-745-8</b>
log Pow		4.8	
Reference temperature		25	°C
Method	OECD 117		
Source	ECHA		
<b>7</b>	<b>A mixture of cis- and trans-cyclohexadec-8-en-1-one</b>	<b>3100-36-5</b>	<b>401-700-2</b>
log Pow		5.7	
Source	ECHA		

**Kinematic viscosity**

No data available

**Particle characteristics**

No data available

**9.2 Other information****Other information**

No data available.

**SECTION 10: Stability and reactivity****10.1 Reactivity**

No data available.

**10.2 Chemical stability**

Stable under recommended storage and handling conditions (See section 7).

**10.3 Possibility of hazardous reactions**

Dangerous reactions are not to be expected when handling product according to its intended use. Generation of flammable vapor-air mixtures possible.

**10.4 Conditions to avoid**

Heat, naked flames and other ignition sources. Static discharges.

**10.5 Incompatible materials**

Reactions with strong oxidising agents. Reactions with strong acids. Alkali metals; Halogenated compounds

**10.6 Hazardous decomposition products**

None, if handled according to intended use.

**SECTION 11: Toxicological information****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

<b>Acute oral toxicity</b>			
No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
LD50		10470	mg/kg bodyweight
Species	rat		
with reference to	95% ethanol in water		
Method	OECD 401		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Trade name: LINARI-SENSO

Current version: 5.0.0, Revision: 22.01.2026

Replaced version: 4.0.1, Revision: 16.12.2022

Region: GB

<b>2</b>	<b>3,7-dimethyloctan-3-ol</b>	<b>78-69-3</b>	<b>201-133-9</b>
LD50		8270	mg/kg bodyweight
Species	rat		
Source	ECHA		
<b>3</b>	<b>3-(p-cumenyl)-2-methylpropionaldehyde</b>	<b>6658-48-6</b>	<b>229-695-0</b>
LD50	>	5000	mg/kg bodyweight
Species	rat		
Method	OECD 401		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
<b>4</b>	<b>3-(5,5,6-trimethylbicyclo[2.2.1]hept-2-yl)cyclohexan-1-ol</b>	<b>3407-42-9</b>	<b>222-294-1</b>
LD50	>	2000	mg/kg bodyweight
Species	rat		
Method	OECD 423		
Source	ECHA		
<b>5</b>	<b>(Z)-3-hexenyl salicylate</b>	<b>65405-77-8</b>	<b>265-745-8</b>
LD50		3031	mg/kg bodyweight
Species	rat (female)		
Method	EU Method B.1		
Source	ECHA		

**Acute dermal toxicity**

No	Substance name	CAS no.	EC no.
<b>1</b>	<b>3,7-dimethyloctan-3-ol</b>	<b>78-69-3</b>	<b>201-133-9</b>
LD50	>	5000	mg/kg bodyweight
Species	rabbit		
Source	ECHA		
<b>2</b>	<b>3-(p-cumenyl)-2-methylpropionaldehyde</b>	<b>6658-48-6</b>	<b>229-695-0</b>
LD50	>	5000	mg/kg bodyweight
Species	rabbit		
Method	OECD 402		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
<b>3</b>	<b>3-(5,5,6-trimethylbicyclo[2.2.1]hept-2-yl)cyclohexan-1-ol</b>	<b>3407-42-9</b>	<b>222-294-1</b>
LD50	>	2000	mg/kg bodyweight
Species	rat		
Method	OECD 402		
Source	ECHA		
<b>4</b>	<b>(Z)-3-hexenyl salicylate</b>	<b>65405-77-8</b>	<b>265-745-8</b>
LD50	>	2000	mg/kg bodyweight
Species	rabbit		
Method	EU Method B.3		
Source	ECHA		

**Acute inhalational toxicity**

No	Substance name	CAS no.	EC no.
<b>1</b>	<b>ethanol</b>	<b>64-17-5</b>	<b>200-578-6</b>
LC50		124.7	mg/l
Duration of exposure		4	h
State of aggregation	Vapour		
Species	rat		
Method	OECD 403		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
<b>2</b>	<b>3-(p-cumenyl)-2-methylpropionaldehyde</b>	<b>6658-48-6</b>	<b>229-695-0</b>
LC50	>	5.14	mg/l
Duration of exposure		4	h
State of aggregation	Dust/mist		
Species	rat		
Method	OECD 436		

Trade name: LINARI-SENSO

Current version: 5.0.0, Revision: 22.01.2026

Replaced version: 4.0.1, Revision: 16.12.2022

Region: GB

Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.

Skin corrosion/irritation			
No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
Species		rabbit	
Method		OECD 404	
Source		ECHA	
Evaluation		non-irritant	
Evaluation/classification		Based on available data, the classification criteria are not met.	
2	3,7-dimethyloctan-3-ol	78-69-3	201-133-9
Source		ECHA	
Evaluation		irritant	
Evaluation/classification		Based on available data, the classification criteria are met.	
3	3-(p-cumenyl)-2-methylpropionaldehyde	6658-48-6	229-695-0
Species		Human	
Method		OECD 439	
Source		ECHA	
Evaluation		irritant	
4	3-(5,5,6-trimethylbicyclo[2.2.1]hept-2-yl)cyclohexan-1-ol	3407-42-9	222-294-1
Species		rabbit	
Method		OECD 404	
Source		ECHA	
Evaluation		non-irritant	
Evaluation/classification		Based on available data, the classification criteria are not met.	

Serious eye damage/irritation			
No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
Species		rabbit	
Method		OECD 405	
Source		ECHA	
Evaluation		irritant	
Evaluation/classification		Based on available data, the classification criteria are met.	
2	3,7-dimethyloctan-3-ol	78-69-3	201-133-9
Source		ECHA	
Evaluation		Irritating to eyes	
Evaluation/classification		Based on available data, the classification criteria are met.	
3	3-(p-cumenyl)-2-methylpropionaldehyde	6658-48-6	229-695-0
Species		cattle	
Method		OECD 437	
Source		ECHA	
Evaluation		non-irritant	
Evaluation/classification		Based on available data, the classification criteria are not met.	
4	3-(5,5,6-trimethylbicyclo[2.2.1]hept-2-yl)cyclohexan-1-ol	3407-42-9	222-294-1
Species		rabbit	
Method		OECD 405	
Source		ECHA	
Evaluation		Irritating to eyes	
Evaluation/classification		Based on available data, the classification criteria are met.	
5	Benzyl salicylate	118-58-1	204-262-9
Species		rabbit	
Method		OECD 437	
Source		ECHA	
Evaluation		irritant	
6	(Z)-3-hexenyl salicylate	65405-77-8	265-745-8
Species		rabbit	
Method		EU B.5	
Source		ECHA	

Trade name: LINARI-SENSO

Current version: 5.0.0, Revision: 22.01.2026

Replaced version: 4.0.1, Revision: 16.12.2022

Region: GB

Evaluation	non-irritant		
<b>Respiratory or skin sensitisation</b>			
No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
Route of exposure		respiratory tract	
Source		ECHA	
Evaluation		non-sensitizing	
Evaluation/classification		Based on available data, the classification criteria are not met.	
Route of exposure		Skin	
Species		mouse	
Source		ECHA	
Evaluation		non-sensitizing	
Evaluation/classification		Based on available data, the classification criteria are not met.	
2	3,7-dimethyloctan-3-ol	78-69-3	201-133-9
Route of exposure		Skin	
Method		OECD 429	
Source		ECHA	
Evaluation		sensitizing	
Evaluation/classification		Based on available data, the classification criteria are met.	
3	3-(p-cumenyl)-2-methylpropionaldehyde	6658-48-6	229-695-0
Route of exposure		Skin	
Species		mouse	
Method		OECD 406	
Source		ECHA	
Evaluation		sensitizing	
4	Benzyl salicylate	118-58-1	204-262-9
Route of exposure		Skin	
Species		mouse	
Method		OECD 429	
Source		ECHA	
Evaluation		sensitizing	
5	(Z)-3-hexenyl salicylate	65405-77-8	265-745-8
Route of exposure		Skin	
Species		guinea pig	
Method		OECD 406	
Source		ECHA	
Evaluation		non-sensitizing	
<b>Germ cell mutagenicity</b>			
No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
Type of examination		in vitro gene mutation study in bacteria	
Species		Salmonella typhimurium	
Method		OECD 471	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
Type of examination		in vitro gene mutation study in mammalian cells	
Species		mouse lymphoma cells	
Method		OECD 476	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
Type of examination		Genotoxicity in vivo	
Species		mouse	
Method		OECD 478	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	
2	3,7-dimethyloctan-3-ol	78-69-3	201-133-9
Type of examination		in vitro gene mutation study in bacteria	
Species		S. typhimurium: TA97, TA98, TA 100, TA 102, TA 1535	
Method		OECD 471	
Source		ECHA	

Trade name: LINARI-SENSO

Current version: 5.0.0, Revision: 22.01.2026

Replaced version: 4.0.1, Revision: 16.12.2022

Region: GB

Evaluation/classification	Based on available data, the classification criteria are not met.
Type of examination	In vitro Mammalian Chromosomal Aberration Test
Species	Chinese hamster V79 cells
Method	OECD 473
Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.
Type of examination	In vitro mammalian cell gene mutation test
Species	Chinese hamster V79 cells
Method	OECD 476
Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.
<b>3</b>	<b>3-(p-cumenyl)-2-methylpropionaldehyde</b> <b>6658-48-6</b> <b>229-695-0</b>
Type of examination	in vitro gene mutation study in mammalian cells
Species	mouse lymphoma cells
Method	OECD 490
Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.
<b>4</b>	<b>(Z)-3-hexenyl salicylate</b> <b>65405-77-8</b> <b>265-745-8</b>
Method	OECD 476
Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.

Reproduction toxicity			
No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
Route of exposure		oral	
NOAEL			
Type of examination	2 generation study		
Species	mouse		
Method	OECD 416		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
Route of exposure		inhalational	
NOAEL			
	>=	20000	ppm
Type of examination	Prenatal Developmental Toxicity Study		
Species	rat		
Method	OECD 414		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
<b>2</b>	<b>3-(p-cumenyl)-2-methylpropionaldehyde</b>	<b>6658-48-6</b>	<b>229-695-0</b>
Method	OECD 421		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
<b>3</b>	<b>(Z)-3-hexenyl salicylate</b>	<b>65405-77-8</b>	<b>265-745-8</b>
Method	OECD 422		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Carcinogenicity			
No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	

STOT - single exposure			
No data available			

STOT - repeated exposure			
No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
Route of exposure		oral	
Duration of exposure		14	week/s
Species		rat	

Trade name: LINARI-SENSO

Current version: 5.0.0, Revision: 22.01.2026

Replaced version: 4.0.1, Revision: 16.12.2022

Region: GB

Target organ	kidneys
Method	OECD 408
Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.
<b>2</b>	<b>3-(p-cumenyl)-2-methylpropionaldehyde</b> <b>6658-48-6</b> <b>229-695-0</b>
Method	OECD 410
Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.
<b>3</b>	<b>(Z)-3-hexenyl salicylate</b> <b>65405-77-8</b> <b>265-745-8</b>
Route of exposure	oral
Species	rat
Method	OECD 422
Source	ECHA
Evaluation/classification	Based on available data, the classification criteria are not met.

**Aspiration hazard**

No data available

**11.2 Information on other hazards****Endocrine disrupting properties**

No data available

**Other information**

No data available.

**SECTION 12: Ecological information****12.1 Toxicity**

<b>Toxicity to fish (acute)</b>			
No	Substance name	CAS no.	EC no.
<b>1</b>	<b>ethanol</b>	<b>64-17-5</b>	<b>200-578-6</b>
LC50		14200	mg/l
Duration of exposure		96	h
Species	Pimephales promelas		
Method	EPA		
Source	ECHA		
<b>2</b>	<b>3,7-dimethyloctan-3-ol</b>	<b>78-69-3</b>	<b>201-133-9</b>
LC50		8.9	mg/l
Duration of exposure		96	h
Species	Danio rerio		
Method	OECD 203		
Source	ECHA		
<b>3</b>	<b>3-(p-cumenyl)-2-methylpropionaldehyde</b>	<b>6658-48-6</b>	<b>229-695-0</b>
LC50		11.3	mg/l
Duration of exposure		96	h
Species	Danio rerio		
Method	OECD 203		
Source	ECHA		
<b>4</b>	<b>Benzyl salicylate</b>	<b>118-58-1</b>	<b>204-262-9</b>
LC50		1.03	mg/l
Duration of exposure		96	h
Species	Brachydanio rerio		
Method	440/2008/EC C.1.		
Source	ECHA		
<b>5</b>	<b>(Z)-3-hexenyl salicylate</b>	<b>65405-77-8</b>	<b>265-745-8</b>
LC50	>	0.65	mg/l
Duration of exposure		96	h
Species	Oncorhynchus mykiss		
Method	OECD 203		
Source	ECHA		
<b>6</b>	<b>A mixture of cis- and trans-cyclohexadec-8-en-1-one</b>	<b>3100-36-5</b>	<b>401-700-2</b>
LC50		0.75	mg/l

Trade name: LINARI-SENSO

Current version: 5.0.0, Revision: 22.01.2026

Replaced version: 4.0.1, Revision: 16.12.2022

Region: GB

Duration of exposure	96	h
Species	Oncorhynchus mykiss	
Source	ECHA	

Toxicity to fish (chronic)			
No	Substance name	CAS no.	EC no.
1	3-(5,5,6-trimethylbicyclo[2.2.1]hept-2-yl)cyclohexan-1-ol	3407-42-9	222-294-1
NOEC		0.156	mg/l
Duration of exposure		30	day(s)
Species	Danio rerio		
Method	OECD 210		
Source	ECHA		

Toxicity to Daphnia (acute)			
No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
EC50		5012	mg/l
Duration of exposure		48	h
Species	Ceriodaphnia dubia		
Method	ASTM Standard E 729-80		
Source	ECHA		
2	3,7-dimethyloctan-3-ol	78-69-3	201-133-9
EC50		14.2	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Method	OECD 202		
Source	ECHA		
3	3-(p-cumenyl)-2-methylpropionaldehyde	6658-48-6	229-695-0
EC50		4.71	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Method	OECD 202		
Source	ECHA		
4	3-(5,5,6-trimethylbicyclo[2.2.1]hept-2-yl)cyclohexan-1-ol	3407-42-9	222-294-1
EC50		2.59	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Method	OECD 202		
Source	ECHA		
5	Benzyl salicylate	118-58-1	204-262-9
EC50		2.25	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Method	OECD 202		
Source	ECHA		
6	(Z)-3-hexenyl salicylate	65405-77-8	265-745-8
EC50		0.6	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Method	OECD 202		
Source	ECHA		
7	A mixture of cis- and trans-cyclohexadec-8-en-1-one	3100-36-5	401-700-2
EC50		0.23	mg/l
Duration of exposure		48	h
Species	Daphnia magna		
Source	ECHA		

Toxicity to Daphnia (chronic)			
No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
NOEC		9.6	mg/l

Trade name: LINARI-SENSO

Current version: 5.0.0, Revision: 22.01.2026

Replaced version: 4.0.1, Revision: 16.12.2022

Region: GB

Duration of exposure	9	day(s)
Species	Daphnia magna	
Source	ECHA	
<b>2</b>	<b>3-(5,5,6-trimethylbicyclo[2.2.1]hept-2-yl)cyclohexan-1-ol</b>	<b>3407-42-9</b> <b>222-294-1</b>
NOEC	0.3125	mg/l
Duration of exposure	21	day(s)
Species	Daphnia magna	
Method	OECD 211	
Source	ECHA	

**Toxicity to algae (acute)**

No	Substance name	CAS no.	EC no.
<b>1</b>	<b>ethanol</b>	<b>64-17-5</b>	<b>200-578-6</b>
EC50		275	mg/l
Duration of exposure		72	h
Species	Chlorella vulgaris		
Method	OECD 201		
Source	ECHA		
<b>2</b>	<b>3,7-dimethyloctan-3-ol</b>	<b>78-69-3</b>	<b>201-133-9</b>
EC50		21.6	mg/l
Duration of exposure		72	h
Species	Desmodesmus subspicatus		
Method	DIN 38412		
Source	ECHA		
<b>3</b>	<b>3-(p-cumenyl)-2-methylpropionaldehyde</b>	<b>6658-48-6</b>	<b>229-695-0</b>
EC50		1.44	mg/l
Duration of exposure		72	h
Species	Raphidocelis subcapitata		
Method	OECD 201		
Source	ECHA		
<b>4</b>	<b>Benzyl salicylate</b>	<b>118-58-1</b>	<b>204-262-9</b>
ErC50		1.29	mg/l
Duration of exposure		72	h
Species	Selenastrum capricornutum		
Method	OECD 201		
Source	ECHA		
<b>5</b>	<b>(Z)-3-hexenyl salicylate</b>	<b>65405-77-8</b>	<b>265-745-8</b>
EC50		0.61	mg/l
Duration of exposure		72	h
Species	Desmodesmus subspicatus		
Method	OECD 201		
Source	ECHA		

**Toxicity to algae (chronic)**

No data available

**Bacteria toxicity**

No	Substance name	CAS no.	EC no.
<b>1</b>	<b>A mixture of cis- and trans-cyclohexadec-8-en-1-one</b>	<b>3100-36-5</b>	<b>401-700-2</b>
IC50		>	10000
Duration of exposure		3	h
Species	activated sludge		
Source	ECHA		

**12.2 Persistence and degradability****Biodegradability**

No	Substance name	CAS no.	EC no.
<b>1</b>	<b>ethanol</b>	<b>64-17-5</b>	<b>200-578-6</b>
Type	aerobic biodegradation		
Value	appr.	84	%
Duration		20	day(s)
Source	ECHA		

Trade name: LINARI-SENSO

Current version: 5.0.0, Revision: 22.01.2026

Replaced version: 4.0.1, Revision: 16.12.2022

Region: GB

Evaluation	readily biodegradable		
<b>2</b>	<b>3,7-dimethyloctan-3-ol</b>	<b>78-69-3</b>	<b>201-133-9</b>
Type	aerobic biodegradation		
Value	60	70	%
Duration		28	d
Method	OECD 301 F		
Source	ECHA		
Evaluation	readily biodegradable		
<b>3</b>	<b>3-(p-cumenyl)-2-methylpropionaldehyde</b>	<b>6658-48-6</b>	<b>229-695-0</b>
Type	aerobic biodegradation		
Value		76	%
Duration		28	day(s)
Method	OECD 301 F		
Source	ECHA		
Evaluation	readily biodegradable		
<b>4</b>	<b>3-(5,5,6-trimethylbicyclo[2.2.1]hept-2-yl)cyclohexan-1-ol</b>	<b>3407-42-9</b>	<b>222-294-1</b>
Type	aerobic biodegradation		
Value		13.81	%
Duration		28	day(s)
Method	OECD 301 D		
Source	ECHA		
Evaluation	not readily biodegradable		
<b>5</b>	<b>Benzyl salicylate</b>	<b>118-58-1</b>	<b>204-262-9</b>
Type	aerobic biodegradation		
Value		93	%
Method	OECD 301 F		
Source	ECHA		
<b>6</b>	<b>(Z)-3-hexenyl salicylate</b>	<b>65405-77-8</b>	<b>265-745-8</b>
Type	aerobic biodegradation		
Value		89	%
Duration		28	day(s)
Method	OECD 301 F		
Source	ECHA		
Evaluation	readily biodegradable		
<b>7</b>	<b>A mixture of cis- and trans-cyclohexadec-8-en-1-one</b>	<b>3100-36-5</b>	<b>401-700-2</b>
Value		100	%
Duration		28	d
Source	ECHA		

### 12.3 Bioaccumulative potential

Bioconcentration factor (BCF)			
No	Substance name	CAS no.	EC no.
1	Benzyl salicylate	118-58-1	204-262-9
BCF		202	
Method	QSAR		
Source	ECHA		
Partition coefficient n-octanol/water (log value)			
No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
log Pow		-0.35	
Reference temperature		24	°C
with reference to	pH 7,4		
Method	OECD 107		
Source	ECHA		
<b>2</b>	<b>3,7-dimethyloctan-3-ol</b>	<b>78-69-3</b>	<b>201-133-9</b>
log Pow		3.3	
Reference temperature		20	°C
Method	OECD 107		
Source	ECHA		
<b>3</b>	<b>3-(p-cumenyl)-2-methylpropionaldehyde</b>	<b>6658-48-6</b>	<b>229-695-0</b>

Trade name: LINARI-SENSO

Current version: 5.0.0, Revision: 22.01.2026

Replaced version: 4.0.1, Revision: 16.12.2022

Region: GB

log Pow		3.8	
Reference temperature		35	°C
with reference to	pH 7		
Method	OECD 117		
Source	ECHA		
<b>4</b>	<b>3-(5,5,6-trimethylbicyclo[2.2.1]hept-2-yl)cyclohexan-1-ol</b>	<b>3407-42-9</b>	<b>222-294-1</b>
log Pow		4.64	
Reference temperature		25	°C
Method	OECD 117		
Source	ECHA		
<b>5</b>	<b>Benzyl salicylate</b>	<b>118-58-1</b>	<b>204-262-9</b>
log Pow		4.0	
Reference temperature		35	°C
Method	OECD 117		
Source	ECHA		
<b>6</b>	<b>(Z)-3-hexenyl salicylate</b>	<b>65405-77-8</b>	<b>265-745-8</b>
log Pow		4.8	
Reference temperature		25	°C
Method	OECD 117		
Source	ECHA		
<b>7</b>	<b>A mixture of cis- and trans-cyclohexadec-8-en-1-one</b>	<b>3100-36-5</b>	<b>401-700-2</b>
log Pow		5.7	
Source	ECHA		

**12.4 Mobility in soil**

No data available.

**12.5 Results of PBT and vPvB assessment**

Results of PBT and vPvB assessment	
Product Name	
LINARI-SENSO	
PBT assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be PBT.
vPvB assessment	According to the information provided in the supply chain, the mixture does not contain > 0.1% of a substance that is considered to be vPvB.

**12.6 Endocrine disrupting properties**

No data available.

**12.7 Other adverse effects**

No data available.

**12.8 Other information**

Other information
Do not discharge product unmonitored into the environment.

**SECTION 13: Disposal considerations****13.1 Waste treatment methods****Product**

In accordance with regulations for special waste, must be taken to a special waste disposal.

**Packaging**

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

**SECTION 14: Transport information****14.1 UN number or ID number**

ADR/RID/ADN

UN1266

Trade name: LINARI-SENSO

Current version: 5.0.0, Revision: 22.01.2026

Replaced version: 4.0.1, Revision: 16.12.2022

Region: GB

IMDG UN1266  
ICAO-TI / IATA UN1266

**14.2 UN proper shipping name**

ADR/RID/ADN PERFUMERY PRODUCTS

IMDG PERFUMERY PRODUCTS

ICAO-TI / IATA Perfumery products

**14.3 Transport hazard class(es)**

ADR/RID/ADN - Class 3  
Label 3  
Classification code F1  
Tunnel restriction code D/E  
Hazard identification no. 33  
Special Provision 640 640D

IMDG - Class 3  
Label 3

ICAO-TI / IATA - Class 3  
Label 3

**14.4 Packing group**

ADR/RID/ADN II

IMDG II

ICAO-TI / IATA II

**14.5 Environmental hazards**

EmS F-E, S-D

**14.6 Special precautions for user**

No data available.

**14.7 Maritime transport in bulk according to IMO instruments**

Not relevant

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulations****Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)**

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

**REACH candidate list of substances of very high concern (SVHC) for authorisation**

According to available data and the information provided by preliminary suppliers, the product does not contain substances that are considered substances meeting the criteria for inclusion in annex XIV (List of Substances Subject to Authorisation) as laid down in Article 57 and article 59 of REACH (EC) 1907/2006.

**Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES**

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII. No 3, 40

The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

No	Substance name	CAS no.	EC no.	No
1	(R)-p-mentha-1,8-diene	5989-27-5	227-813-5	75
2	alpha-methyl-1,3-benzodioxole-5-propionaldehyde	1205-17-0	214-881-6	75
3	Benzyl salicylate	118-58-1	204-262-9	75
4	geraniol	106-24-1	203-377-1	75
5	linalool	78-70-6	201-134-4	75
6	L-p-mentha-1(6),8-dien-2-one	6485-40-1	229-352-5	75

**Trade name:** LINARI-SENSO**Current version:** 5.0.0, Revision: 22.01.2026**Replaced version:** 4.0.1, Revision: 16.12.2022**Region:** GB

7	tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans)	63500-71-0	405-040-6	75
---	---	------------	-----------	----

**Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances**

This product is subject to Part I of Annex I, risk category: P5b

**15.2 Chemical safety assessment**

A chemical safety assessment has not been carried out for this mixture.

**SECTION 16: Other information****Sources of key data used to compile the data sheet:**

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

**Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)**

H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H361	Suspected of damaging fertility or the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

**Classification information**

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

**Creation of the safety data sheet**

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

**Alterations/supplements:**

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.

Prod-ID 677989