

Trade name: LINARI-SFERA**Current version :** 7.0.0, issued: 04.06.2024**Replaced version:** 6.1.0, issued: 21.07.2021**Region:** GB**SECTION 1: Identification of the substance/mixture and of the company/undertaking****1.1 Product identifier****Trade name****LINARI-SFERA****1.2 Relevant identified uses of the substance or mixture and uses advised against****Relevant identified uses of the substance or mixture**

Fragrances

Uses advised against

No data available.

1.3 Details of the supplier of the safety data sheet**Address**LINARI GmbH
Jaffestrasse 12 | DOCK 2
21109 Hamburg
Germany

Telephone no. +49 40-7566850

Fax no. +49 40-7534505

Advice on Safety Data Sheet

sdb_info@umco.de

1.4 Emergency telephone number

Emergency CONTACT (24-Hour-Number) international:

GBK GmbH - Global Regulatory Compliance +49 (0)6132-84463

SECTION 2: Hazards identification**2.1 Classification of the substance or mixture****Classification in accordance with Regulation (EC) No 1272/2008 (CLP)**

Aquatic Chronic 3; H412

Eye Irrit. 2; H319

Flam. Liq. 3; H226

Classification information

This product is assessed and classified using the methods and criteria below referred to in Article 9 of Regulation (EC) n° 1272/2008:

Physical hazards: determined through assessment data based on the methods or standards referred to in part 2 of Annex I to CLP

Health hazards and environmental hazards: determined through toxicological and ecotoxicological assessment data based on the methods or standards referred to in Part 3, 4 and 5 of Annex I to CLP.

2.2 Label elements**Labelling according to Regulation (EC) No 1272/2008 (CLP Regulation)****Hazard pictograms**

GHS02



GHS07

Signal word

Warning

Hazard statement(s)

H226

Flammable liquid and vapour.

H319

Causes serious eye irritation.

H412

Harmful to aquatic life with long lasting effects.

Trade name: LINARI-SFERA

Current version : 7.0.0, issued: 04.06.2024

Replaced version: 6.1.0, issued: 21.07.2021

Region: GB

Hazard statements (EU)

EUH208

Contains 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1 one, linalool, (R)-p-mentha-1,8-diene, 2-(4-tert-butylbenzyl) propionaldehyde, pin-2(10)-ene, alpha-methyl-1,3-benzodioxole-5-propionaldehyde, [3R-(3alpha,3abeta,7beta,8alpha)]-1-(2,3,4,7,8,8a-hexahydro-3,6,8,8 tetramethyl-1H-3a,7-methanoazulen-5-yl)ethan-1-one. May produce an allergic reaction.

Precautionary statement(s)

P101

If medical advice is needed, have product container or label at hand.

P102

Keep out of reach of children.

P210

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P501

Dispose of contents/container to a facility in accordance with local/regional/national/international regulations.

2.3 Other hazards

PBT assessment

The components of this product are not considered to be PBT (PBT = persistent, bioaccumulative, toxic) according to Annex XIII of Regulation (EC) 1907/2006 (REACH).

vPvB assessment

The components of this product are not considered to be vPvB (vPvB = very persistent, very bioaccumulative) according to Annex XIII of Regulation (EC) 1907/2006 (REACH).

SECTION 3: Composition/information on ingredients**3.1 Substances**

Not applicable. The product is not a substance.

3.2 Mixtures**Hazardous ingredients**

No	Substance name		Additional information	
	CAS / EC / Index / REACH no	Classification (EC) 1272/2008 (CLP)	Concentration	%
1	ethanol			
	64-17-5 200-578-6 603-002-00-5 01-2119457610-43	Flam. Liq. 2; H225 Eye Irrit. 2; H319	>= 70.00 - < 90.00	wt%
2	1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1 one			
	54464-57-2 259-174-3 - -	Aquatic Chronic 1; H410 Skin Sens. 1B; H317 Skin Irrit. 2; H315	< 2.50	wt%
3	linalool			
	78-70-6 201-134-4 603-235-00-2 -	Skin Irrit. 2; H315 Skin Sens. 1B; H317 Eye Irrit. 2; H319	< 2.50	wt%
4	(R)-p-mentha-1,8-diene			
	5989-27-5 227-813-5 601-096-00-2 -	Flam. Liq. 3; H226 Asp. Tox. 1; H304 Skin Irrit. 2; H315 Skin Sens. 1B; H317 Aquatic Acute 1; H400 Aquatic Chronic 3; H412	< 2.50	wt%
5	2-(4-tert-butylbenzyl) propionaldehyde			
	80-54-6 201-289-8 605-041-00-3 01-2119485965-18	Acute Tox. 4; H302 Aquatic Chronic 2; H411 Repr. 2; H361f Skin Irrit. 2; H315 Skin Sens. 1B; H317	< 0.50	wt%

Trade name: LINARI-SFERA

Current version : 7.0.0, issued: 04.06.2024

Replaced version: 6.1.0, issued: 21.07.2021

Region: GB

6	pin-2(10)-ene			
	127-91-3 204-872-5 - -	Aquatic Acute 1; H400 Asp. Tox. 1; H304 Flam. Liq. 3; H226 Skin Sens. 1B; H317 Aquatic Chronic 1; H410 Skin Irrit. 2; H315	< 0.50	wt%
7	OXACYCLOHEXADECEN-2-ONE			
	34902-57-3 422-320-3 606-092-00-4 01-0000016883-62	Aquatic Acute 1; H400 Aquatic Chronic 1; H410	< 0.50	wt%
8	alpha-methyl-1,3-benzodioxole-5-propionaldehyde			
	1205-17-0 214-881-6 - -	Aquatic Chronic 2; H411 Skin Sens. 1; H317	< 0.50	wt%
9	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran			
	1222-05-5 214-946-9 603-212-00-7 -	Aquatic Acute 1; H400 Aquatic Chronic 1; H410	< 0.50	wt%
10	[3R-(3alpha,3abeta,7beta,8alpha)]-1-(2,3,4,7,8,8a-hexahydro-3,6,8,8 tetramethyl-1H-3a,7-methanoazulen-5-yl)ethan-1-one			
	32388-55-9 251-020-3 - -	Aquatic Acute 1; H400 Aquatic Chronic 1; H410 Skin Sens. 1; H317	< 0.50	wt%

Full Text for all H-phrases and EUH-phrases: pls. see section 16

No	Note	Specific concentration limits	M-factor (acute)	M-factor (chronic)
1	-	Eye Irrit. 2; H319: C >= 50%	-	-
4	-	-	M = 1	-

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In case of persisting adverse effects, consult a physician.

After inhalation

Remove affected person from the immediate area. Ensure supply of fresh air. In case of persisting adverse effects consult a physician. If unconscious place in recovery position and seek medical advice.

After skin contact

In case of contact with skin wash off immediately with soap and water. Remove contaminated clothing. Consult a doctor if skin irritation persists.

After eye contact

Remove contact lenses. Rinse eye thoroughly under running water keeping eyelids wide open and protecting the unaffected eye (at least 10 to 15 minutes).

After ingestion

Rinse the mouth thoroughly with water. Do not induce vomiting. If swallowed drink plenty of water and seek medical treatment. Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

No data available.

4.3 Indication of any immediate medical attention and special treatment needed

No data available.

SECTION 5: Firefighting measures

Trade name: LINARI-SFERA**Current version :** 7.0.0, issued: 04.06.2024**Replaced version:** 6.1.0, issued: 21.07.2021**Region:** GB

5.1 Extinguishing media

Suitable extinguishing media

Foam; Extinguishing powder; Carbon dioxide; Water spray jet

Unsuitable extinguishing media

High power water jet

5.2 Special hazards arising from the substance or mixture

In the event of fire, the following can be released: Carbon dioxide (CO₂); Carbon monoxide (CO); Toxic pyrolysis products; Formation of explosive mixtures with air is possible. Vapours are heavier than air and may spread near ground to sources of ignition. May travel considerable distance to source of ignition and flash back.

5.3 Advice for firefighters

Use self-contained breathing apparatus. Wear protective clothing. Cool endangered containers with water spray jet. Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Exclude sources of ignition and ventilate the area. Avoid contact with skin, eyes and clothing. Refer to protective measures listed in sections 7 and 8.

For emergency responders

Personal protective equipment (PPE) - see section 8.

6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers). Do not discharge into the drains/surface waters/groundwater. In case of entry into waterways, soil or drains, inform the responsible authorities.

6.3 Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13).

6.4 Reference to other sections

Information regarding safe handling, see section 7. Information regarding personal protective measures, see section 8. Information regarding waste disposal, see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Provide good ventilation at the work area (local exhaust ventilation, if necessary).

General protective and hygiene measures

Do not eat, drink or smoke during work time. Keep away from food, drink and animal feeding stuffs. After worktime and during work intervals the affected skin areas must be thoroughly cleaned. Avoid contact with eyes and skin. Remove soiled or soaked clothing immediately. Provide eye wash fountain in work area. Have emergency shower available.

Advice on protection against fire and explosion

Keep away from sources of heat and ignition. Take precautionary measures against static charges.

7.2 Conditions for safe storage, including any incompatibilities

Technical measures and storage conditions

Keep container tightly closed in a cool, well-ventilated place.

Requirements for storage rooms and vessels

Store product in closed containers. Always keep in containers of same material as the original.

Incompatible products

Do not store together with fire promoting substances.

7.3 Specific end use(s)

No data available.

Trade name: LINARI-SFERA

Current version : 7.0.0, issued: 04.06.2024

Replaced version: 6.1.0, issued: 21.07.2021

Region: GB

SECTION 8: Exposure controls/personal protection**8.1 Control parameters****Occupational exposure limit values**

No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
List of approved workplace exposure limits (WELs) / EH40			
Ethanol			
	WEL long-term (8-hr TWA reference period)	1920	mg/m ³ 1000 ppm

DNEL, DMEL and PNEC values**DNEL values (worker)**

No	Substance name	CAS / EC no		
	Route of exposure	Exposure time	Effect	Value
1	ethanol	64-17-5 200-578-6		
	dermal	Long term (chronic)	systemic	8238 mg/kg/day
	inhalative	Long term (chronic)	systemic	380 mg/m ³
2	2-(4-tert-butylbenzyl) propionaldehyde	80-54-6 201-289-8		
	dermal	Long term (chronic)	systemic	2.075 mg/kg/day
	dermal	Long term (chronic)	local	410 µg/cm ²
	inhalative	Long term (chronic)	systemic	0.44 mg/m ³

DNEL value (consumer)

No	Substance name	CAS / EC no		
	Route of exposure	Exposure time	Effect	Value
1	ethanol	64-17-5 200-578-6		
	inhalative	Long term (chronic)	systemic	114 mg/m ³
2	2-(4-tert-butylbenzyl) propionaldehyde	80-54-6 201-289-8		
	oral	Long term (chronic)	systemic	0.062 mg/kg/day
	dermal	Long term (chronic)	systemic	1.038 mg/kg/day
	dermal	Long term (chronic)	local	410 µg/cm ²
	dermal	Short term (acute)	local	410 µg/cm ²
	inhalative	Long term (chronic)	systemic	0.11 mg/m ³

PNEC values

No	Substance name	CAS / EC no	
	ecological compartment	Type	Value
1	ethanol		64-17-5 200-578-6
	water	fresh water	0.96 mg/L
	water	marine water	0.79 mg/L
	water	fresh water sediment	3.6 mg/kg dry weight
	water	marine water sediment	2.9 mg/L
	soil	-	0.63 mg/kg dry weight
	sewage treatment plant	-	580 mg/L
	secondary poisoning with reference to: food	-	0.38 g/kg
2	2-(4-tert-butylbenzyl) propionaldehyde		80-54-6 201-289-8
	water	fresh water	0.002 mg/L
	water	marine water	0 mg/L
	water	Aqua intermittent	0.024 mg/L

Trade name: LINARI-SFERA

Current version : 7.0.0, issued: 04.06.2024

Replaced version: 6.1.0, issued: 21.07.2021

Region: GB

	water	fresh water sediment	0.269	mg/kg dry weight
	water	marine water sediment	0.027	mg/kg dry weight
	soil	-	0.052	mg/kg dry weight
	sewage treatment plant	-	10	mg/L
3	OXACYCLOHEXADECEN-2-ONE		34902-57-3 422-320-3	
	water	fresh water	2.7	µg/L
	water	marine water	0.27	µg/L
	water	marine water sediment	4.2	mg/kg dry weight
	water	fresh water sediment	21	mg/kg dry weight
	soil	-	5.44	mg/kg dry weight
	sewage treatment plant	-	10	mg/L

8.2 Exposure controls

Appropriate engineering controls

Ensure adequate ventilation, local exhaust at the work station if necessary.

Personal protective equipment

Respiratory protection

If workplace exposure limits are exceeded, a respiration protection approved for this particular job must be worn. Combination filter (EN 14387), filter type A - brown; In case of aerosol, vapour and mist formation, take appropriate measures for breathing protection in the event workplace threshold values are not specified.

Eye / face protection

Tightly fitting safety glasses (EN 166).

Hand protection

In case of intensive contact, wear protective gloves (EN 374). Before use, the protective gloves should be tested in any case for its specific work-station suitability (i.e. mechanical resistance, product compatibility and antistatic properties). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves.

Appropriate Material	butyl rubber		
Material thickness		0.5	mm
Breakthrough time	>	480	min

Other

Normal chemical work clothing.

Environmental exposure controls

No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

State of aggregation	
liquid	
Form	
liquid	
Colour	
colourless	
Odour	
perfumed-like	
pH value	
Value	5.1

Trade name: LINARI-SFERA

Current version : 7.0.0, issued: 04.06.2024

Replaced version: 6.1.0, issued: 21.07.2021

Region: GB

Boiling point / boiling range			
Value		78	°C
Reference substance	Ethanol		
Melting point/freezing point			
Value		-114	°C
Reference substance	Ethanol		
Decomposition temperature			
No data available			
Flash point			
Value		27	°C
Ignition temperature			
No data available			
Auto-ignition temperature			
Value		425	°C
Reference substance	Ethanol		
Explosive properties			
The product is not explosive. Formation of explosive/highly flammable air-vapour mixtures is possible during/after use.			
Flammability			
No data available			
Lower explosion limit			
Value		3.5	% vol
Reference substance	Ethanol		
Upper explosion limit			
Value		15	% vol
Reference substance	Ethanol		
Vapour pressure			
Value		57	mbar
Reference temperature		20	°C
Reference substance	Ethanol		
Relative vapour density			
Comments	Air = 1		
Comments	Heavier than air.		
Relative density			
No data available			
Density			
No data available			
Solubility			
No data available			
Partition coefficient n-octanol/water (log value)			
No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
log Pow		-0.35	
Reference temperature		24	°C
with reference to			
Method		pH 7,4 OECD 107	
Source		ECHA	
Kinematic viscosity			
No data available			
Particle characteristics			
No data available			

Trade name: LINARI-SFERA

Current version : 7.0.0, issued: 04.06.2024

Replaced version: 6.1.0, issued: 21.07.2021

Region: GB

9.2 Other information**Other information**

No data available.

SECTION 10: Stability and reactivity**10.1 Reactivity**

No data available.

10.2 Chemical stability

Stable under recommended storage and handling conditions (See section 7).

10.3 Possibility of hazardous reactions

Dangerous reactions are not to be expected when handling product according to its intended use. Generation of flammable vapor-air mixtures possible.

10.4 Conditions to avoid

Heat, naked flames and other ignition sources. Static discharges.

10.5 Incompatible materials

Reactions with strong oxidising agents. Reactions with strong acids. Alkali metals; Halogenated compounds

10.6 Hazardous decomposition products

None, if handled according to intended use.

SECTION 11: Toxicological information**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008****Acute oral toxicity**

No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
LD50		10470	mg/kg bodyweight
Species		rat	
with reference to		95% ethanol in water	
Method		OECD 401	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	

Acute dermal toxicity

No data available

Acute inhalational toxicity

No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
LC50		124.7	mg/l
Duration of exposure		4	h
State of aggregation		Vapour	
Species		rat	
Method		OECD 403	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	

Skin corrosion/irritation

No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
Species		rabbit	
Method		OECD 404	
Source		ECHA	
Evaluation		non-irritant	
Evaluation/classification		Based on available data, the classification criteria are not met.	

Serious eye damage/irritation

No	Substance name	CAS no.	EC no.
----	----------------	---------	--------

Trade name: LINARI-SFERA**Current version :** 7.0.0, issued: 04.06.2024**Replaced version:** 6.1.0, issued: 21.07.2021**Region:** GB

1	ethanol	64-17-5	200-578-6
Species	rabbit		
Method	OECD 405		
Source	ECHA		
Evaluation	irritant		
Evaluation/classification	Based on available data, the classification criteria are met.		

Respiratory or skin sensitisation			
No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
Route of exposure	respiratory tract		
Source	ECHA		
Evaluation	non-sensitizing		
Evaluation/classification	Based on available data, the classification criteria are not met.		
Route of exposure	Skin		
Species	mouse		
Source	ECHA		
Evaluation	non-sensitizing		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Germ cell mutagenicity			
No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
Type of examination	in vitro gene mutation study in bacteria		
Species	Salmonella typhimurium		
Method	OECD 471		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
Type of examination	in vitro gene mutation study in mammalian cells		
Species	mouse lymphoma cells		
Method	OECD 476		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
Type of examination	Genotoxicity in vivo		
Species	mouse		
Method	OECD 478		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Reproduction toxicity			
No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
Route of exposure	oral		
NOAEL			
Type of examination	2 generation study		
Species	mouse		
Method	OECD 416		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		
Route of exposure	inhalational		
NOAEL	>=	20000	ppm
Type of examination	Prenatal Developmental Toxicity Study		
Species	rat		
Method	OECD 414		
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Carcinogenicity			
No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
Source	ECHA		
Evaluation/classification	Based on available data, the classification criteria are not met.		

Trade name: LINARI-SFERA

Current version : 7.0.0, issued: 04.06.2024

Replaced version: 6.1.0, issued: 21.07.2021

Region: GB

STOT - single exposure			
No data available			

STOT - repeated exposure			
No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
Route of exposure		oral	
Duration of exposure		14	week/s
Species		rat	
Target organ		kidneys	
Method		OECD 408	
Source		ECHA	
Evaluation/classification		Based on available data, the classification criteria are not met.	

Aspiration hazard			
No data available			

11.2 Information on other hazards

Endocrine disrupting properties

No data available.

Other information

No data available.

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish (acute)			
No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
LC50		14200	mg/l
Duration of exposure		96	h
Species		Pimephales promelas	
Method		EPA	
Source		ECHA	

Toxicity to fish (chronic)			
No data available			

Toxicity to Daphnia (acute)			
No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
EC50		5012	mg/l
Duration of exposure		48	h
Species		Ceriodaphnia dubia	
Method		ASTM Standard E 729-80	
Source		ECHA	

Toxicity to Daphnia (chronic)			
No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
NOEC		9.6	mg/l
Duration of exposure		9	day(s)
Species		Daphnia magna	
Source		ECHA	

Toxicity to algae (acute)			
No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
EC50		275	mg/l
Duration of exposure		72	h
Species		Chlorella vulgaris	
Method		OECD 201	

Trade name: LINARI-SFERA

Current version : 7.0.0, issued: 04.06.2024

Replaced version: 6.1.0, issued: 21.07.2021

Region: GB

Source	ECHA
--------	------

Toxicity to algae (chronic)
No data available

Bacteria toxicity
No data available

12.2 Persistence and degradability

Biodegradability			
No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
Type	aerobic biodegradation		
Value	appr.	84	%
Duration		20	day(s)
Source	ECHA		
Evaluation	readily biodegradable		

12.3 Bioaccumulative potential

Partition coefficient n-octanol/water (log value)			
No	Substance name	CAS no.	EC no.
1	ethanol	64-17-5	200-578-6
log Pow		-0.35	
Reference temperature		24	°C
with reference to	pH 7,4		
Method	OECD 107		
Source	ECHA		

12.4 Mobility in soil

No data available.

12.5 Results of PBT and vPvB assessment

Results of PBT and vPvB assessment	
PBT assessment	The components of this product are not considered to be PBT (PBT = persistent, bioaccumulative, toxic) according to Annex XIII of Regulation (EC) 1907/2006 (REACH).
vPvB assessment	The components of this product are not considered to be vPvB (vPvB = very persistent, very bioaccumulative) according to Annex XIII of Regulation (EC) 1907/2006 (REACH).

12.6 Endocrine disrupting properties

No data available.

12.7 Other adverse effects

No data available.

12.8 Other information

Other information
Do not discharge product unmonitored into the environment.

SECTION 13: Disposal considerations**13.1 Waste treatment methods****Product**

In accordance with regulations for special waste, must be taken to a special waste disposal.

Packaging

Residues must be removed from packaging and when emptied completely disposed of in accordance with the regulations for waste removal. Incompletely emptied packaging must be disposed of in the form of disposal specified by the regional disposer.

SECTION 14: Transport information**14.1 UN number or ID number**

Trade name: LINARI-SFERA

Current version : 7.0.0, issued: 04.06.2024

Replaced version: 6.1.0, issued: 21.07.2021

Region: GB

ADR/RID/ADN UN1266
 IMDG UN1266
 ICAO-TI / IATA UN1266

14.2 UN proper shipping name

ADR/RID/ADN PERFUMERY PRODUCTS
 IMDG PERFUMERY PRODUCTS
 ICAO-TI / IATA Perfumery products

14.3 Transport hazard class(es)

ADR/RID/ADN - Class 3
 Label 3
 Classification code F1
 Tunnel restriction code D/E
 Hazard identification no. 30
 IMDG - Class 3
 Label 3
 ICAO-TI / IATA - Class 3
 Label 3

14.4 Packing group

ADR/RID/ADN III
 IMDG III
 ICAO-TI / IATA III

14.5 Environmental hazards

EmS F-E, S-D

14.6 Special precautions for user

No data available.

14.7 Maritime transport in bulk according to IMO instruments

Not relevant

SECTION 15: Regulatory information**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulations****Regulation (EC) No 1907/2006 (REACH) Annex XIV (List of substances subject to authorisation)**

According to the data available and/or specifications supplied by upstream suppliers, this product does not contain any substances considered as substances requiring authorisation as listed on Annex XIV of the REACH regulation (EC) 1907/2006.

REACH candidate list of substances of very high concern (SVHC) for authorisation

The product contains following substance(s) meeting the criteria in Article 57 in association with Article 59 of the REACH regulation ((EC) 1907/2006) that are placed on the list of candidates considered for inclusion in annex XIV (substances subject to Authorisation).

No	Substance name	CAS no.	EC no.
1	2-(4-tert-butylbenzyl) propionaldehyde	80-54-6	201-289-8

Regulation (EC) No 1907/2006 (REACH) Annex XVII: RESTRICTIONS ON THE MANUFACTURE, PLACING ON THE MARKET AND USE OF CERTAIN DANGEROUS SUBSTANCES, MIXTURES AND ARTICLES

The product is considered being subject to REACH regulation (EC) 1907/2006 annex XVII. No 3, 40
 The product contains following substance(s) that are considered being subject to REACH regulation (EC) 1907/2006 annex XVII.

No	Substance name	CAS no.	EC no.	No
1	(R)-p-mentha-1,8-diene	5989-27-5	227-813-5	75
2	2-(4-tert-butylbenzyl) propionaldehyde	80-54-6	201-289-8	75
3	Benzyl salicylate	118-58-1	204-262-9	75
4	citral	5392-40-5	226-394-6	75

Trade name: LINARI-SFERA**Current version :** 7.0.0, issued: 04.06.2024**Replaced version:** 6.1.0, issued: 21.07.2021**Region:** GB

5	linalool	78-70-6	201-134-4	75
Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances				
This product is subject to Part I of Annex I, risk category:				P5c

15.2 Chemical safety assessment

A chemical safety assessment has not been carried out for this mixture.

SECTION 16: Other information**Sources of key data used to compile the data sheet:**

Regulation (EC) No 1907/2006 (REACH), 1272/2008 (CLP) as amended in each case.

Directives 2000/39/EC, 2006/15/EC, 2009/161/EU, (EU) 2017/164.

National Threshold Limit Values of the corresponding countries as amended in each case.

Transport regulations according to ADR, RID, IMDG, IATA as amended in each case.

The data sources used to determine physical, toxic and ecotoxic data, are indicated directly in the corresponding section.

Full text of the H- and EUH- phrases drawn up in sections 2 and 3 (provided not already drawn up in these sections)

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H361f	Suspected of damaging fertility.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Creation of the safety data sheet

UMCO GmbH - D-21107 Hamburg, Georg-Wilhelm-Strasse 187, Tel.: +49(40)555 546 300, Fax: +49(40)555 546 357, e-mail: umco@umco.de

This information is based on our present knowledge and experience.

The safety data sheet describes products with a view to safety requirements.

It does not however, constitute a guarantee for any specific product properties and shall not establish a legally valid contractual relationship.

Alterations/supplements:

Alterations to the previous edition are marked in the left-hand margin.

Document protected by copyright. Alterations or reproductions require the express written permission of UMCO GmbH.
Prod-ID 677990